


## [Q37-Q60 The Most Efficient C-CPE-13 Pdf Dumps For Assured Success [2022]



The Most Efficient C-CPE-13 Pdf Dumps For Assured Success [2022]

We offers you the latest free online C-CPE-13 dumps to practice

### SAP C-CPE-13 Exam Syllabus Topics:

Topic 1- Describe basic principles of continuous integration and delivery- SAP Continuous Integration and Delivery

Topic 2- Identify valid identity providers for SAP BTP- SAP Cloud Application Programming model

Topic 3- Set up trust and authorization for an SAP BTP application- SAP BTP, Cloud Foundry environment

Topic 4- Create CAP projects. Create a service- SAP Authorization and Trust Management

Topic 5- Describe SAP BTP connectivity services and options. Describe functions of the SAP Cloud Connector-

Describe functions of the approuter

### QUESTION 37

Your customer presents you with the following UI requirements: The same visualizations for all users. Extraction of key information to identify a root cause. Searching, filtering, and sorting of items. Which SAP Fiori elements floorplan do you recommend they use?

- \* Worklist
- \* Object page

- \* Analytical list page
- \* List report

### QUESTION 38

Which event phases can you use with CAP event handlers by default? Note: There are 3 to choose.

- \* on
- \* while
- \* after
- \* before
- \* between

### QUESTION 39

What is the standard health check time limit of a Cloud Foundry application?

- \* 60 seconds
- \* 30 seconds
- \* 180 seconds
- \* 90 seconds

### QUESTION 40

What are some characteristics of JSON files? Note: There are 2 to choose.

- \* JSON files contain human-readable data.
- \* JSON files are based on XML.
- \* JSON files are also valid YAML files.
- \* JSON files contain JavaScript commands.

### QUESTION 41

What kind of offering is Cloud Foundry?

- \* Platform as a Service (PaaS)
- \* Infrastructure as a Service (IaaS)
- \* Software as a Service (SaaS)
- \* Functions as a Service (FaaS)

### QUESTION 42

When using namespaces, what does SAP recommend you use to construct names for namespaces?

- \* Cascades of acronyms
- \* Your organization's name
- \* Reverse domain names

### QUESTION 43

You have developed a risk service application in CAP. To which file must you add restrictions and @restrict to add authorizations to your service?

- \* srv/risk-service.js
- \* package-lock.json
- \* xs-security.js

- \* srv/risk-service.cds

#### QUESTION 44

During application development, what are some principles of dealing with application errors? Note: There are 2 to choose.

- \* Hide errors and continue silently
- \* Use try/catch blocks sparingly
- \* Use as many try/catch blocks as possible
- \* Log unexpected errors

#### QUESTION 45

How many administrators can be assigned to a global account?

- \* 0 &#8211; 1
- \* 1 &#8211; n
- \* 0 &#8211; n

#### QUESTION 46

Which language do you use to create a data model in a CAP project?

- \* SQL
- \* Core Data Services Query Language (CQL)
- \* Core Data Services Definition Language (CDL)
- \* ABAP

#### QUESTION 47

Your company is using the SAP Authorization and Trust Management service in conjunction with the XSUAA service to authorize their applications. Where do you bundle your defined scopes in role-templates?

- \* In an xs-security.json file
- \* In an instance of the XSUAA service
- \* In a role-collection

#### QUESTION 48

What are some characteristics of YAML files? Note: There are 2 to choose.

- \* YAML files can be used as configuration files.
- \* YAML files are based on XML.
- \* YAML files rely on correct indentation.
- \* YAML files are also valid JSON files.

#### QUESTION 49

In the SAP BTP, what is the correct order of entities?

- \* Directory. Global account. Subaccount. Environment
- \* Global account. Subaccount. Directory. Environment
- \* Environment. Global account. Directory. Subaccount
- \* Global account. Directory. Subaccount. Environment

#### QUESTION 50

Which of the following environments run on the SAP multi-cloud foundation? Note: There are 2 to choose.

- \* Kyma environment
- \* Cloud Foundry environment
- \* Netweaver environment
- \* Neo environment

The multi-cloud foundation is the basis of SAP BTP, which through its multi-cloud compatibility, lets you choose from different infrastructures, environments, and runtimes.

It comprises three different environments: The Cloud Foundry environment, the Kyma environment, and the ABAP environment.

<https://help.sap.com/viewer/b017fc4f944e4eb5b31501b3d1b6a1f0/Cloud/en-US/06b6fb3d45d040429e36f0359d2fe1f2.html?q=SAP%20Cloud%20Platform%20Functions%20FaaS%20Serverless>

### QUESTION 51

What information does the SAP Destination service provide to your applications to connect to a remote service or system?

- \* Connectivity proxy information for the target resource
- \* Semantic information about the target resource
- \* Technical information about the target resource

### QUESTION 52

You have set up a pipeline in the SAP Continuous Integration and Delivery service with automated deployment. A build was initiated and failed. What do you check to find out which step of the pipeline failed?

- \* The webhook of your version control system
- \* The webhook event receiver
- \* The stages of the failed job run
- \* The stages in the config.yml in the .pipeline folder

### QUESTION 53

What are valid actions using subaccounts in SAP BTP? Note: There are 2 to choose.

- \* Creating Cloud Foundry orgs explicitly.
- \* Disabling the Cloud Foundry environment once you have enabled it.
- \* Creating many subaccounts assigned to the Cloud Foundry environment.
- \* Deleting a subaccount with service subscriptions.

### QUESTION 54

You have developed a CAP project and added the XSUAA security configuration. What information is stored in the xs-security.json file? Note: There are 2 to choose.

- \* roles
- \* users
- \* scopes
- \* role-templates

### QUESTION 55

What are some characteristics of CAP event handling? Note: There are 2 to choose.

- \* You can register only one event handler for a specific event.
- \* You must use the handler registration API `srv.emit(<event>)` to de-register event handlers.
- \* You can register event handlers with instances of `cds.service` to add custom logic.
- \* You can register multiple event handlers for each event phase.

### QUESTION 56

You have implemented a simple bookshop CAP application for the purpose of selling books. You want to implement an event handler in the bookshop-service, that calculates a discount of 10 % on the price of books written in English (&#8220;en&#8221;). In all other cases, you want to calculate a discount of 5 %. The price should be calculated after books are read from the service. Drag the code snippets from below into the correct parts of the event handler implementation. Drag the key and value items from below into the correct parts of the descriptor file.

```
cds.serve( [ ] ) .with (function(){
  this. [ ] ( [ ] , 'books', (books)=>{
    books. [ ] ((book) =>{
      if ( [ ] ) {
        [ ]
      } else {
        [ ]
      }
    })
  });
```

'bookshop-service' book.price = book.price \* 0.95

book.price = book.price \* 0.9 forEach after 'READ' book.language == 'en'

```
cds.serve('bookshop-service') .with (function(){
  this. after ('READ', 'books', (books)=>{
    books. forEach ((book) =>{
      if ( book.language == 'en' ) {
        book.price = book.price * 0.95
      } else {
        book.price = book.price * 0.9
      }
    })
  });
```

'bookshop-service' book.price = book.price \* 0.95

book.price = book.price \* 0.9 forEach after 'READ' book.language == 'en'

### QUESTION 57

In your Git system, you have set up a webhook for your SAP Continuous Integration and Delivery pipeline. What kind of request does this webhook send to the specified payload URL?

- \* PATCH request
- \* POST request
- \* PUT request
- \* GET request


**QUESTION 58**

Which management tool can you use to deploy a CAP project into a space of your SAP BTP subaccount?


- \* Cloud Foundry command line interface
- \* APIs for SAP BTP
- \* SAP BTP command line interface

**QUESTION 59**

A global account has a relationship with entitlements. The cardinality of this relationship is '0-n'; as shown in the graphic. What are the cardinalities for the other relationships in the attached diagram? (Drag and drop the labels at the bottom onto the framed locations of the image above.)



- |   |     |     |     |
|---|-----|-----|-----|
| 1 | 0-1 | 1-n | 0-n |
|---|-----|-----|-----|



- |   |     |     |     |
|---|-----|-----|-----|
| 1 | 0-1 | 1-n | 0-n |
|---|-----|-----|-----|

## QUESTION 60

By default, which file describes scopes and role-templates of an application for the instantiation of an XSUAA service instance?

- \* xs-security.json
- \* package.json
- \* manifest.yml
- \* services-manifest.yml

**C-CPE-13 PDF 100% Cover Real Exam Questions:** <https://www.validexam.com/C-CPE-13-latest-dumps.html>