
## Verified & Correct C-BW4HANA-24 Practice Test Reliable Source Jun 19, 2022 Updated [Q30-Q47



## Verified & Correct C-BW4HANA-24 Practice Test Reliable Source Jun 19, 2022 Updated Free SAP C-BW4HANA-24 Exam Files Downloaded Instantly

## SAP C-BW4HANA-24 Exam Syllabus Topics:

TopicDetailsTopic 1- Guide a SAP BW- 4HANA 2.x project- Load data with SAP BW- 4HANA 2.x- SAP BW- 4HANA ModelingTopic 2- Info Objects and Info Providers- Data Acquisition into SAP HANA- Native SAP HANA ModelingTopic

3 - Integrate different sources to SAP HANA- Data Acquisition into SAP BW- 4HANATopic 4- Use Info Objects and Info Providers with SAP BW- 4HANA 2.x- Define the terms and basic concepts of SAP BW- 4HANA 2.xTopic 5- Describe native SAP HANA model options- Integrate different sources to SAP BW- 4HANA 2.x

Q30. Which settings can you define in a data transfer process (DTP) if you load data into a DataStore object (advanced)?

Note: There are 3 correct answers to this question.

- \* Extraction mode
- \* Error handling

- \* Activation handling
- \* Data tiering
- \* Semantic groups

Q31. How can you persist data from any SAP HANA database table to a table in the SAP BW schema? Note:

There are 3 correct answers to this question.

- \* Create an SAP HANA calculation view.
- \* Create an Open ODS view. Generate a data flow.
- \* Create an Open ODS view.
- \* Consume the view using a CompositeProvider.
- \* Load the data to a DataStore object (advanced).
- \* Consume the view using a CompositeProvider.
- \* Create a DataSource.

Q32. When modeling a characteristic, which SAP BW/4HANA feature are intended to reduce the physical data volume? (2 answer)

- \* Enhanced master data
- \* Transitive attribute
- \* Compounding
- \* Reference characteristic

Q33. What happens if a query with time-dependent attributes is executed but NO query key date is set?

- \* The current date is used as key date.
- \* The system displays only NON-time-dependent attributes.
- \* The valid from date of the attribute is used as key date.
- \* The system displays an error message.

Q34. Which layers are part of the layered scalable architecture for SAP BW/4HANA (LSA++)? Note: There are 2 correct answers to this question.

- \* Open Operational Data Store
- \* Native SAP HANA data mart
- \* Virtual data mart
- \* Source system

**Q35.** You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- \* It is executed as an inner join when NO fields from the right table are requested.
- \* It always returns all fields from the right table as a result data set.
- \* It is executed as an inner join when a description mapping is defined between the left table and the u right table.
- \* It returns a result data set if the left table has a corresponding entry on the right table.

Q36. You create a DataStore object (advanced) using model template Standard DataStore Object. Which flags are set?

Note: There are 2 correct answers to this question.

- \* Activate Data
- \* Write Change Log
- \* All Characteristics are Key
- \* Unique Data Records

Q37. You need to use an SAP ERP standard DataSource to load data into SAP BW/4HANA.

Which prerequisite must be fulfilled to use the DataSource in the Operational Data Provisioning context?

- \* It must exist in table ROOSATTR.
- \* It must be delta-enabled.
- \* It must be in-memory-optimized.
- \* It must have a queue entry in transaction ODQMON.

Q38. Your customer is using a pure SAP HANA native data warehouse approach. Which tools should the customer install?

Note: There are 2 correct answers to this question.

- \* SAP solutions for enterprise information management
- \* BW Modeling Tools
- \* SAP Information Steward
- \* Process Chain Monitoring app

**Q39.** You need to determine the number of customers in each country that have revenue in 2018. What is the reference InfoObject in an exception aggregation?

- \* Counter
- \* Customer
- \* Country
- \* Year

Q40. what can you do in the sap bw/4hana cockpit? (3 answer)

- \* model, schedule and monitor process chain
- \* manage request in infoobjects and datastore object
- \* model and trasport data flow
- \* model and schedule replication task
- \* maintain data tiering setting

Q41. Which actions can you perform with an SAP HANA calculation view that has the DIMENSION data category assigned?

Note: There are 2 correct answers to this question.

- \* Join serveral tables.
- \* Define text joins.
- \* Persist master data.
- \* Aggregate measures.

**Q42.** Which properties determine the delta process within the Operational Data Provisioning (ODP) delta management for DataSources?

Note: There are 2 correct answers to this question.

- \* Serialization
- \* Delta type
- \* Record mode
- \* Parallelization
- \* Record type

Q43. For which of the following revenue reporting requirements do you create restricted key figures?

- \* Convert revenue into a number without currency.
- \* Identify the top five countries by revenue for each month.

\* Determine the average revenue per customer.

\* Compare this year's planned revenue with last year's actual revenue.

**Q44.** How many SAP BW/4HANA trasformations and delta dtp can you define for the same source target? \* "One SAP BW/4HANA trasformation

Multiple delta dtp with different filter"

\* "Multiple SAP BW/4HANA trasformation

Multiple delta dtp with different filter"

\* "One SAP BW/4HANA trasformation

One delta dtp"

\* "One SAP BW/4HANA trasformation

Multiple delta dtp without filter"

Q45. How do you model plant-specific attributes for the characteristic material?

- \* Compound the material and the plant.
- \* Define navigation attributes for the characteristic material.
- \* Define time-dependent attributes for the characteristic material.
- \* Join the material and the plant.

Q46. Which of the following methods supports the SAP HANA data virtualization approach with OBDC technology?

- \* SAP HANA smart data access
- \* SAP HANA smart data integration
- \* SAP Landscape Transformation Replication Server
- \* SAP Data Services

**Q47.** Which SAP HANA objects are automatically generated if you set the External SAP HANA Calculation View flag for an SAP BW/4HANA object?

Note: There are 2 correct answers to this question.

- \* SAP HANA attribute views
- \* SAP HANA calculation views
- \* SAP HANA privileges
- \* SAP HANA analytic views

Pass SAP C-BW4HANA-24 exam Dumps 100 Pass Guarantee With Latest Demo: https://www.validexam.com/C-BW4HANA-24-latest-dumps.html]