


## [Jul 11, 2022 100% Pass Guarantee for C\_TAW12\_750 Dumps with Actual Exam Questions [Q62-Q82]



**[Jul 11, 2022 100% Pass Guarantee for C\_TAW12\_750 Dumps with Actual Exam Questions Today Updated C\_TAW12\_750 Exam Dumps Actual Questions NO.62** Function modules provide which types of parameters?

There are 4 correct answers to this question.

Response:

- \* Input
- \* Output
- \* Input/output (changing)
- \* Return values
- \* Exceptions

**NO.63** Which events can exist in all types of programs that actually contain executable statements?

- \* AT USER-COMMAND
- \* AT PF##

- \* INITIALIZATION
- \* LOAD-OF-PROGRAM
- \* AT LINE-SELECTION
- \* START-OF-SELECTION

**NO.64** Which statements are considered obsolete and cannot be used in ABAP Objects?

Please select all the correct answers that apply.

Response:

- \* TABLES
- \* DATA &#8230; TYPE &#8230; OCCURS
- \* DATA &#8230; BEGIN OF &#8230; OCCURS
- \* INFOTYPES
- \* RANGES
- \* LEAVE
- \* ON CHANGE OF
- \* SEARCH
- \* LOOP AT dbtab

**NO.65** Which of the following tools and programming techniques use the SQL data definition language? There are 2 correct answers to this question.

- \* Core data service (CDS) access control
- \* Open SQL
- \* ABAP Dictionary
- \* Core data services (CDS) data definition

**NO.66** The Repository Browser is started by default when you execute Transaction SE80 for the Object Navigator

- \* True
- \* False

**NO.67** Which of the following statements are true? Select all that apply

- \* Projection views can have more than one table included for the view definition.
- \* You cannot use a pooled or cluster table for a database view.
- \* The tables included in the maintenance view should have foreign key relationships.
- \* The tables included in the help view should have foreign key relationships.

**NO.68** What is the root class in the RTTS inheritance tree? Please choose the correct answer.

- \* CL\_ABAP\_TYPEDESCR
- \* CL\_ABAP\_ELEMDSCR
- \* CL\_ABAP\_DATADESCR
- \* CL\_ABAP\_COMPLEXDESCR

**NO.69** What is the result of the following arithmetic operation?

DATA: int TYPE I.

int = 5\*(3/10).{ 1 Richtig}

- \* 1
- \* D2

- \* 1.5
- \* 0

**NO.70** What is unique about a functional method?

There are 5 correct answers to this question.

Response:

- \* It must contain a returning parameter.
- \* It can contain an importing parameter.
- \* It can contain an exporting parameter.
- \* It can contain a changing parameter.
- \* It can be used in logical expressions.
- \* It can be used in SELECT statements.
- \* It must be a singleton.

**NO.71** Global data types defined in SAP systems are

- \* ABAP Dictionary types.
- \* Data defined in the program that is visible to all the routines/statements within the ABAP program.
- \* Date types defined in the program using ABAP Dictionary types.

**NO.72** The Debugger displays a maximum of eight data objects at one time.

- \* True
- \* False

**NO.73** Which class is used to define a reference for an instance of the ALV Object Model?

- \* Class CL\_GUI\_ALV\_GRID
- \* Class CL\_GUI\_CUSTOM\_CONTAINER
- \* Class CL\_SALV\_TABLE

**NO.74** What does a Web Dynpro component contain?

There are 3 correct answers to this question.

Response:

- \* Multiple views within a window
- \* UI elements
- \* Component controller
- \* A context
- \* Exactly one interface controller

**NO.75** Which of the following is a true statement? Select all that apply

- \* A package can be nested.
- \* All customer repository objects have to be assigned to a package.
- \* Packages use interfaces and visibility to make their elements visible to other packages.
- \* The transport layer is a mandatory input field for the package

**NO.76** An ABAP program processes the following expression:

$r = a / b + c$

Which of the following data declarations would cause the runtime environment to use fixed-point arithmetic for the above expression?

There are 2 correct answers to this question

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

\* DATA: r TYPE f,

a TYPE i VALUE 201,

b TYPE i VALUE 200,

c TYPE f.

\* DATA: r TYPE p DECIMALS 2,

a TYPE i VALUE 201,

b TYPE i VALUE 200,

c TYPE

\* DATA: r TYPE p DECMALS 2,

a TYPE i VLAUE 201,

b TYPE i VALUE 200,

c TYPE f.

\* DATA: r TYPE p,

a type I VALUE 201,

b type I VALUE 200,

c type i.

**NO.77** What is the best order to provide an event handler for an ALV?

\* Create the ALV, write the handler, register for the event, display the ALV

\* Write the handler, register for the event, create the ALV, display the ALV

\* Write the handler, create the ALV, display the ALV, register for the event

\* Register for the event, write the handler, create the ALV, display the ALV

\* Write the handler, create the ALV, register for the event, display the ALV

**NO.78** A work process&#8230;

Please choose the correct answer.

Response:

- \* Stays linked to a screen through the dispatcher.
- \* Becomes inactive while waiting for a user.
- \* Uses a common memory area called shared memory.
- \* Becomes active while waiting for a user.

**NO.79** Customer exits provide program exit, screen exit, and menu exit enhancements.

- \* True
- \* False

**NO.80** A screen has the following PAI flow logic:

PROCESS AFTER INPUT

FIELD A MODULE check\_A

FIELD A MODULE check\_B

CHAIN.

FIELD:C,D

MODULE check\_CD

ENDCHAIN

FIELD:C,B.

MODULE check\_CB

ENDCHAIN

What happens if the application sends a type E message during the check\_CB module processing?

Please choose the correct answer.

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

(1/1 Points)

- \* The screen is displayed again and the PBO flow logic is processed. Only fields B and C are ready for input.
- \* The screen is displayed again without processing the PBO logic flow. Only fields B and C are ready for input.
- \* The screen is NOT displayed again. Processing terminates and the user must restart the ABAP program.D.
- \* The screen is displayed again without processing the PBO flow logic. All fields are ready for input.

**NO.81** Which property of the InputField UI element must be bound to a context attribute?

Please choose the correct answer.

Response:

- \* state
- \* enable
- \* value
- \* visible

**NO.82** Function modules provide which types of parameters? Select all that apply.

- \* Return values
- \* Output
- \* Exceptions
- \* Input
- \* Input/output (changing)

**C\_TAW12\_750 exam dumps with real SAP questions and answers:**

[https://www.validexam.com/C\\_TAW12\\_750-latest-dumps.html](https://www.validexam.com/C_TAW12_750-latest-dumps.html)