


[Jul 11, 2022 100% Pass Guarantee for C_TAW12_750 Dumps with Actual Exam Questions [Q62-Q82]



[Jul 11, 2022 100% Pass Guarantee for C_TAW12_750 Dumps with Actual Exam Questions Today Updated C_TAW12_750 Exam Dumps Actual Questions NO.62 Function modules provide which types of parameters?

There are 4 correct answers to this question.

Response:

- * Input
- * Output
- * Input/output (changing)
- * Return values
- * Exceptions

NO.63 Which events can exist in all types of programs that actually contain executable statements?

- * AT USER-COMMAND
- * AT PF##

- * INITIALIZATION
- * LOAD-OF-PROGRAM
- * AT LINE-SELECTION
- * START-OF-SELECTION

NO.64 Which statements are considered obsolete and cannot be used in ABAP Objects?

Please select all the correct answers that apply.

Response:

- * TABLES
- * DATA … TYPE … OCCURS
- * DATA … BEGIN OF … OCCURS
- * INFOTYPES
- * RANGES
- * LEAVE
- * ON CHANGE OF
- * SEARCH
- * LOOP AT dbtab

NO.65 Which of the following tools and programming techniques use the SQL data definition language? There are 2 correct answers to this question.

- * Core data service (CDS) access control
- * Open SQL
- * ABAP Dictionary
- * Core data services (CDS) data definition

NO.66 The Repository Browser is started by default when you execute Transaction SE80 for the Object Navigator

- * True
- * False

NO.67 Which of the following statements are true? Select all that apply

- * Projection views can have more than one table included for the view definition.
- * You cannot use a pooled or cluster table for a database view.
- * The tables included in the maintenance view should have foreign key relationships.
- * The tables included in the help view should have foreign key relationships.

NO.68 What is the root class in the RTTS inheritance tree? Please choose the correct answer.

- * CL_ABAP_TYPEDESCR
- * CL_ABAP_ELEMDESCR
- * CL_ABAP_DATADESCR
- * CL_ABAP_COMPLEXDESCR

NO.69 What is the result of the following arithmetic operation?

DATA: int TYPE I.

int = 5*(3/10).{ 1 Richtig}

- * 1
- * D2

- * 1.5
- * 0

NO.70 What is unique about a functional method?

There are 5 correct answers to this question.

Response:

- * It must contain a returning parameter.
- * It can contain an importing parameter.
- * It can contain an exporting parameter.
- * It can contain a changing parameter.
- * It can be used in logical expressions.
- * It can be used in SELECT statements.
- * It must be a singleton.

NO.71 Global data types defined in SAP systems are…

- * ABAP Dictionary types.
- * Data defined in the program that is visible to all the routines/statements ‘-‘ within the ABAP program.
- * Date types defined in the program using ABAP Dictionary types.

NO.72 The Debugger displays a maximum of eight data objects at one time.

- * True
- * False

NO.73 Which class is used to define a reference for an instance of the ALV Object Model?

- * Class CL_GUI_ALV_GRID
- * Class CL_GUI_CUSTOM_CONTAINER
- * Class CL_SALV_TABLE

NO.74 What does a Web Dynpro component contain?

There are 3 correct answers to this question.

Response:

- * Multiple views within a window
- * UI elements
- * Component controller
- * A context
- * Exactly one interface controller

NO.75 Which of the following is a true statement? Select all that apply

- * A package can be nested.
- * All customer repository objects have to be assigned to a package.
- * Packages use interfaces and visibility to make their elements visible to other packages.
- * The transport layer is a mandatory input field for the package

NO.76 An ABAP program processes the following expression:

$r = a / b + c$

Which of the following data declarations would cause the runtime environment to use fixed-point arithmetic for the above expression?

There are 2 correct answers to this question

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

* DATA: r TYPE f,

a TYPE i VALUE 201,

b TYPE i VALUE 200,

c TYPE f.

* DATA: r TYPE p DECIMALS 2,

a TYPE i VALUE 201,

b TYPE i VALUE 200,

c TYPE

* DATA: r TYPE p DECMALS 2,

a TYPE i VLAUE 201,

b TYPE i VALUE 200,

c TYPE f.

* DATA: r TYPE p,

a type I VALUE 201,

b type I VALUE 200,

c type i.

NO.77 What is the best order to provide an event handler for an ALV?

* Create the ALV, write the handler, register for the event, display the ALV

* Write the handler, register for the event, create the ALV, display the ALV

* Write the handler, create the ALV, display the ALV, register for the event

* Register for the event, write the handler, create the ALV, display the ALV

* Write the handler, create the ALV, register for the event, display the ALV

NO.78 A work process…

Please choose the correct answer.

Response:

- * Stays linked to a screen through the dispatcher.
- * Becomes inactive while waiting for a user.
- * Uses a common memory area called shared memory.
- * Becomes active while waiting for a user.

NO.79 Customer exits provide program exit, screen exit, and menu exit enhancements.

- * True
- * False

NO.80 A screen has the following PAI flow logic:

PROCESS AFTER INPUT

FIELD A MODULE check_A

FIELD A MODULE check_B

CHAIN.

FIELD:C,D

MODULE check_CD

ENDCHAIN

FIELD:C,B.

MODULE check_CB

ENDCHAIN

What happens if the application sends a type E message during the check_CB module processing?

Please choose the correct answer.

Note: Answers of this question are not verified by our experts, please study yourself and select the appropriate answers.

Response:

(1/1 Points)

- * The screen is displayed again and the PBO flow logic is processed. Only fields B and C are ready for input.
- * The screen is displayed again without processing the PBO logic flow. Only fields B and C are ready for input.
- * The screen is NOT displayed again. Processing terminates and the user must restart the ABAP program.D.
- * The screen is displayed again without processing the PBO flow logic. All fields are ready for input.

NO.81 Which property of the InputField UI element must be bound to a context attribute?

Please choose the correct answer.

Response:

- * state
- * enable
- * value
- * visible

NO.82 Function modules provide which types of parameters? Select all that apply.

- * Return values
- * Output
- * Exceptions
- * Input
- * Input/output (changing)

C_TAW12_750 exam dumps with real SAP questions and answers:

https://www.validexam.com/C_TAW12_750-latest-dumps.html