

Updated Nov 29, 2022 Test Engine to Practice Test for 156-835 Valid and Updated Dumps [Q16-Q31]



Updated Nov 29, 2022 Test Engine to Practice Test for 156-835 Valid and Updated Dumps
Exam Questions for 156-835 Updated Versions With Test Engine

NEW QUESTION 16

When running `asg perf -v` in a Dual-Site environment, we can see only Appliances from one of the sites. That means we are working in:

- * VLS mode
- * Active / Active
- * Active / Standby HA mode
- * This is not Dual-Site, in Dual-Site we always see Appliances from both sites

NEW QUESTION 17

What kind of cluster Dual-Site can be compared to?

- * Active-Standby or VSLs
- * VSLs only
- * Active-Active
- * Active-Standby only

NEW QUESTION 18

What type of cluster can a Security Group can be compared to?

- * VSLs
- * Load Sharing Active /Active
- * Active / Backup
- * Active / Standby

NEW QUESTION 19

How many power supplies are presented on MHO-140?

- * 2
- * 4
- * 1
- * 1 with option for 2

NEW QUESTION 20

What is the Orchestrator?

- * Load balancer
- * Network Switch
- * Manager of compute and network resources, load balancer and network switch
- * None of above

NEW QUESTION 21

What is the default range of physical ports for downlinks on Orchestrator MHO-140?

- * 25 – 47
- * 27 – 47
- * 1 – 48
- * 1 – 25

NEW QUESTION 22

What is the default IP range of Sync network (with no increment)?

- * The same as Management network
- * 198.51.100.0
- * 192.0.2.0
- * 192.168.1.0

NEW QUESTION 23

What is the maximum amount of Appliances within Security group in Dual-Site configuration?

- * 16

- * 15
- * 28
- * 31

NEW QUESTION 24

What is the throughput penalty of Security Group?

- * 5% per member
- * Depends on the type of Appliance
- * 10% per Security Group with no relation to amount of members
- * 1% per member

NEW QUESTION 25

In case of Correction, where is information about Owner stored?

- * In Connection tables of all Appliances participating in Correction Layer flow
- * In Correction tables of all Appliances participating in Correction Layer flow
- * In Correction table of Target Appliance
- * In Connection table of Target Appliances

NEW QUESTION 26

What is the purpose of g_tcpdump command?

- * Collects traffic dump from Sync network
- * The same as tcpdump, just on Scalable Platform
- * Collects traffic dump from CIN network
- * Collects traffic dump from all Active Appliances within Security Group

NEW QUESTION 27

What is the purpose of RJ-45 connectors located at the front panel of the Orchestrator MHO-170?

- * Two Out-of-band interfaces for access to Orchestrator itself
- * Out-of-band interface for access to Orchestrator itself and Serial Console connector
- * 1Gbps connectivity for Security Groups
- * Reserved for internal purposes. Not in use

NEW QUESTION 28

On MHO-170 – In default configuration, what are GAIA names of Security Group Management ports?

- * eth1-Mgmt1 and eth1-Mgmt2
- * eth1-Mgmt1 and eth2-Mgmt1
- * eth1-Mgmt1 and eth1-Mgmt3
- * eth1-Mgmt3 and eth1-Mgmt4

NEW QUESTION 29

What is the maximum amount of Appliances within the same Security Group?

- * 16
- * 31
- * 52

* 8

NEW QUESTION 30

Which is a valid requirement for a supported Maestro appliance?

- * 10GBps and 40Gbps or 100Gbps card with double-VLAN and LLDP support
- * At least one 10GBps line card
- * Nothing special as Maestro supports any Check Point appliance
- * Line card with double-VLAN and LLDP support

NEW QUESTION 31

For a VSX configuration – Which statement is wrong?

- * All Virtual Systems exist on the SMO
- * All Virtual Systems exist on all Appliances
- * VSX configuration is the same on all Appliances within the same Security Group
- * Each Appliance owns different Virtual Systems

CheckPoint 156-835 Exam Syllabus Topics:

TopicDetailsTopic 1- Understand and explain how the Orchestrator's downlinks, uplinks, management, and sync ports function- Identify the essential components of the Maestro systemTopic 2- Identify how Virtual System Extension (VSX) works- Describe how Maestro uses Hyperscale TechnologyTopic 3- Describe the basic use of the asg diag command to collect system diagnostics- Learn how to create, delete, and modify Security GroupsTopic 4- Learn how to configure interfaces using CLISH- Understand the basics of the Dual-Site environmentTopic 5- Demonstrate how to use traffic monitoring commands- Describe how the Gaia Command Line Interface (CLI) supports the configuration of MHO appliancesTopic 6- Recognize how to account for Dual-Site fail-overs- Describe the purpose of the Security Group DatabaseTopic 7- Understand the four distribution modes that Maestro uses to assign packets to a Security Gateway Module- Recognize the main characteristics of Scalable PlatformsTopic 8- Evaluate how traffic flows through a Maestro environment- Describe the different layers of the OSI model involved when debugging the SG

156-835 Exam Dumps - Free Demo & 365 Day Updates: <https://www.validexam.com/156-835-latest-dumps.html>