# [Q17-Q40 Tested Material Used To PDI Test Engine Exam Questions in here [Feb-2023



Tested Material Used To PDI Test Engine Exam Questions in here [Feb-2023] **Penetration testers simulate PDI exam PDF** 

## PDI Exam topics

Candidates must know the exam topics before they start of preparation. Because it will really help them in hitting the core. Our **Salesforce PDI exam dumps** will include the following topics:

- Testing 12%- Logic and Process Automation 46%- Debug and Deployment Tools 10%- Salesforce Fundamentals 10%- User Interface 10% **NEW QUESTION 17** 

A candidate may apply to multiple jobs at the company Universal Containers by submtting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- \* Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- \* Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- \* Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- \* Create a lookup relationship in the Applications custom object to the Job Postings custom object

#### **NEW QUESTION 18**

A developer is asked to create a Visualforce page that displays some Account fields as well as fields configured on the page layout for related Contacts.

How should the developer implement this request?

- \* Use the <apex:relatedList> tag.
- \* Create a controller extension.
- \* Use the <apex:include> tag.
- \* Add a method to the standard controller.

#### **NEW OUESTION 19**

Universal Containers wants Opportunities to be locked from editing when reaching the Closed/Won stage.

Which two strategies should a developer use to accomplish this? (Choose two.)

- \* Use a Visual Workflow.
- \* Use a validation rule.
- \* Use the Process Automation Settings.
- \* Use a Trigger.

#### **NEW QUESTION 20**

A developer has to Identify a method in an Apex class that performs resource intensive actions in memory by iterating over the result set of a SOQL statement on the account. The method also performs a DML statement to save the changes to the database. Which two techniques should the developer implement as a best practice to esure transaction control and avoid exceeding governor limits? Choose 2 answers

- \* Use the Database.Savepoint method to enforce database integrity. (Missed)
- \* Use the System.Limit class to monitor the current CPU governor limit consuption. (Missed)
- \* Use the @ReadOnly annotation to bypass the number of rows returned by a SOQL.
- \* Use Partial DML statements to ensure only valid data is committed.

#### **NEW QUESTION 21**

A Licensed\_Professional\_\_c custom object exist in the system with two Master-Detail fields for the following objects:

Certification\_\_c and Contact. Users with the "Certification Representative" role can access the Certification records they own and view the related Licensed Professionals records, however users with the

"Salesforce representative " role report they cannot view any Licensed professional records even though they own the associated Contact record. What are two likely causes of users in the "Sales Representative " role not being able to access the Licensed Professional records? Choose 2 answers

- \* The organization's sharing rules for Licensed\_Professional\_\_c have not finished their recalculation process.
- \* The organization recently modified the Sales representative role to restrict Read/Write access to Licensed\_Professional\_\_c
- \* The organization has a private sharing model for Certification\_c, and Contact is the primary relationship in the Licensed\_Professional\_c object
- \* The organization has a private sharing model for Certification\_c, and Certification\_c is the primary relationship in the Licensed\_Professional\_c object.

# **NEW QUESTION 22**

Which two statements are acceptable for a developer to use inside procedural loops?

- \* Contact con = new Contact();
- \* ContactList.remove(i);
- \* Delete contactList;
- \* Account a = [SELECT id, Name FROM account WHERE id = : con.AccountId LIMIT 1];

#### **NEW QUESTION 23**

A company wants to create an employee rating program that allows employees to rate each other. An employee's average rating must be displayed on the employee record. Employees must be able to create rating records, but are not allowed to create employee records. Which two actions should a developer take to accomplish this task? choose 2 answers

- \* Create a master-detail relanstionship between the rating and employee object
- \* Create a trigger on the rating object that updates a field on the employee object
- \* Create a roll-up sumary field on the employee and use avg to calculate the average rating score
- \* Create a lookup realntionship beteween the rating and employee object

#### **NEW QUESTION 24**

Which two process automations can be used on their own to send Salesforce Outbound Message?

Choose 2 answers

- \* Process Builder
- \* Workflow Rule
- \* Flow Builder
- \* Strategy Builder

## **NEW QUESTION 25**

A developer receives an error when trying to call a global server-side method using the @remoteAction decorator.

How can the developer resolve the error?

- \* Change the function signature to be private static.
- \* Add static to the server-side method signature.
- \* A Decorate the server-side method with (static=true).
- \* Decorate the server-side method with (static=false).

# **NEW QUESTION 26**

A developer is asked to explore if this automation can be implemented without writing any Apex code.

Which statement is true regarding this automation request?

- \* This approval step cannot be automated and must be done manually.
- \* The developer can use Einstein Next Best Actions.
- \* The developer can use a record
- \* The developer can use record triggered flow with Actions.

## **NEW QUESTION 27**

How are debug levels adjusted In the Developer Console?

\* Under the Settings menu > Trace Settings…, click Change DebugLevel

- \* Under the Edit menu, dick Change DebugLevels
- \* Under the Logs tab, click Change in the DebugLevels panel
- \* Under the Debug menu > Change Log Levels…, click Add/Change in the DebugLevel Action column

## **NEW QUESTION 28**

A company has been adding data to Salesforce and has not done a good Job of limiting the creation of duplicate Lead records. The developer is considering writing an Apex process to identify duplicates and merge the records together.

Which two statements are valid considerations when using merged?

#### Choose 2 answers

- \* The field values on the master record are overwritten by the records being merged.
- \* Merge is supported with accounts, contacts, cases, and leads.
- \* External ID fields can be used with the merge method.
- \* The merge method allows up to three records, including the master and two additional records with the same sObject type, to be merged into the master record.

#### **NEW QUESTION 29**

A developer created a Visualforce page and custom controller to display the account type field as shown below. Custom controller code: public class customCtrlr{ private Account theAccount; public String actType; public customCtrlr() { theAccount = [SELECT Id, Type FROM Account WHERE Id =

:apexPages.currentPage().get(2 = theAccount.Type; } Visualforce page snippet:

The Account Type is {!actType} The value of the account type field is not being displayed correctly on the page. Assuming the custom controller is property referenced on the Visualforce page, what should the developer do to correct the problem?

- \* Add a getter method for the actType attribute.
- \* Change the Account attribute to public.
- \* Convert the Account. Type to a String.
- \* Add with sharing to the custom controller.

Explanation

https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages\_controller\_custom.htm

# **NEW QUESTION 30**

A developer needs to confirm that a Contact trigger works correctly without changing the organization \$\&\pm\$8217;s dat a. what should the developer do to test the Contact trigger?

- \* Use the New button on the Salesforce Contacts Tab to create a new Contact record.
- \* Use the Open execute Anonymous feature on the Developer Console to run an 'insert Contact' DML statement
- \* Use Deploy from the VSCode IDE to display an 'insert Contact' Apex class.
- \* Use the Test menu on the Developer Console to run all test classes for the Contact trigger

#### **NEW QUESTION 31**

A developer has a VF page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

\* Add custom controller attributes to display the message.

- \* Include <apex:messages> on the Visualforce page.
- \* Use a try/catch with a custom exception class.
- \* Perform the DML using the Database.upsert() method

https://developer.salesforce.com/docs/atlas.en-us.pages.meta/pages/pages\_compref\_message.htm

#### **NEW QUESTION 32**

code below deserializes input into a list of Accounts.

Which code modification should be made to insert the Accounts so that field-level security is respected?

- \* 01: Public with sharing class AcctCreator
- \* 05: If (SobjectType.Account,isCreatable())
- \* 05: Accts = database.stripinaccesible (accts, Database. CREATEABLE);
- \* 05: SobjectAcessDecision sd= Security, stripINaccessible(AccessType, CREATABLE,

#### **NEW QUESTION 33**

A developer writes a trigger on the Account object on the before update event that increments a count field.

Aworkflow rule also increments the count field every time that an Account is created or update. The field update in the workflow rule is configured to not re-evaluate workflow rules. What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- \* 3
- \* 2
- \* 1
- \* 4

# **NEW QUESTION 34**

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

\* Use the schema describe calls to determine if the logged-in users has access to the Account object.

- \* Use the without sharing keyword on the class declaration.
- \* Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- \* Use the with sharing keyword on the class declaration.

## **NEW QUESTION 35**

Which three resources in a Lightning Component Bundle can contain JavaScript functions? Choose 3

- \* Renderer
- \* Design
- \* Helper
- \* Controller
- \* Style

## **NEW QUESTION 36**

A developer of Universal Containers is tasked with implementing a new Salesforce application that must be able to by their company's Salesforce administrator.

Which three should be considered for building out the business logic layer of the application? Choose 3 answers

- \* Workflows
- \* validation Rules
- \* Process Builder
- \* Scheduled Jobs
- \* Invocable Actions

#### **NEW OUESTION 37**

Which action can a developer perform in a before update trigger? (Choose 2)

- \* Display a custom error message in the application interface.
- \* Change field values using the Trigger.new context variable.
- \* Delete the original object using a delete DML operation.
- \* Update the original object using an update DML operation.

# **NEW QUESTION 38**

What are two characteristics of partial copy sandboxes versus full sandboxes? Choose 2 answers

- \* Includes a subset of metadata
- \* Requires a sandbox template
- \* Supports more frequent refreshes
- \* Provides more data record storage

## **NEW QUESTION 39**

A developer has JavaScript code that needs to be called by controller functions in multiple Aura components by extending a new abstract component.

Which resource in the abstract Aura component bundle allows the developer to achieve this?

- \* helper.js
- \* controllers
- \* superRender.js

This page was exported from -  $\underline{Valid\ Premium\ Exam}$  Export date: Mon Feb 24 15:21:15 2025 / +0000 GMT

\* renderer.js

# **NEW QUESTION 40**

A developer is creating an enhancement to an application that will allow people to be related to their employer.

Which data model provides the simplest solution to meet the requirements?

- \* Create a lookup realtionship to indicate that a person has an employer
- \* Create a master-detail relationship to indicate that a person has an employer
- \* Create a junction object to relate many people to many through master-detail relationship
- \* Create a junction object to relate many people to many through lookup relationship

Authentic Best resources for PDI Online Practice Exam: <a href="https://www.validexam.com/PDI-latest-dumps.html">https://www.validexam.com/PDI-latest-dumps.html</a>]