


[Q41-Q63 Attested C_BW4HANA_27 Dumps PDF Resource [2023]



Attested C_BW4HANA_27 Dumps PDF Resource [2023]

Latest C_BW4HANA_27 Actual Free Exam Questions Updated 82 Questions

Q41. Which objects can be affected by the key date in a BW query? Note: There are 3 correct answers to this question.

- * Navigation attributes
- * Hierarchies
- * Key figures
- * Conditions
- * Display attributes

Q42. You want to combine an existing SAP BW/4HANA Data Model with virtual data from a new non-SAP source system for test purposes. Which approach should you consider for rapid prototyping?

- * Field-based modeling
- * InfoObject based modeling
- * Generate Data Flow
- * Business content activation

Q43. Which objects can be affected by the key date in a BW query? Note: There are 2 correct answers to this question.

- * Hierarchies
- * Attributes
- * Text variables
- * Key figures

Q44. Which source types are available to create a generic DataSource in SAP ERP? Note: There are 3 correct answers to this question.

- * ABAP class method
- * Database view
- * HDI Calculation View
- * ABAP function module
- * SAP query

Q45. Which join types Can you use in a CompositeProvider? (3)

- * Referential join
- * Full Outer join
- * Text join
- * Hierarchy join
- * Inner join

Q46. In a query with cells you need to Override some of the automatically created cell values with other values. Which Cell types do you use instead of automatically-created cell? (2)

- * Selection cells
- * Reference cells
- * Formula cells
- * Help cells

Q47. You set up the 2LIS_02_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HANA.

Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?

- * A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- * All old purchase orders in SAP ERP were archived overnight before the delta loads.
- * Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- * Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

Q48. You create a DataStore object (advanced) using model template Standard DataStore Object. Which flags are set?

Note: There are 2 correct answers to this question.

- * Activate Data
- * Write Change Log
- * All Characteristics are Key
- * Unique Data Records

Q49. To achieve an urgent business requirement, you choose the field-based modeling approach, but you also want to leverage a characteristic hierarchy. On which level does LSA++ architecture recommend the appropriate InfoObjet to be associated?

- * In the SAP BW CompositeProvider
- * In the SAP BW Open ODS View

- * In the SAP BW DataStore (advanced)
- * In the SAP BW InfoSource

Q50. Which actions can you perform with an SAP HANA calculation view that has the DIMENSION data category assigned?

Note: There are 2 correct answers to this question.

- * Join several tables.
- * Define text joins.
- * Persist master data.
- * Aggregate measures.

Q51. In an SAP HANA smart data integration flowgraph, which transformation options are available? Note: There are 3 correct answers to this question.

- * Split datasets
- * Call an ABAP function module
- * Execute a stored procedure
- * Execute an SAP HANA analysis process
- * Combine datasets

Q52. Which external hierarchy properties can be changed the query definition? (3)

- * Time dependency
- * Expand to level
- * Position of child nodes
- * Sort direction
- * Suppress unassigned node

Q53. In an SAP HANA Calculation View, you need to combine attributes data (left table) and the data's language-dependent texts (right table) using a text join. What should you select to restrict the result set to the logon language?

- * The language column in the right table
- * The join cardinality between both tables
- * The logon language in the left table
- * The language column in the left table

Q54. For a BW query, you want to have the first month of the current quarter as a default value for an input-ready BW variable for the characteristic 0CALMONTH. Which processing type do you use?

- * Customer Exit
- * Manual Input with default value
- * Manual Input with offset value
- * Replacement Path

Q55. You have created a custom characteristic with the technical name “COSTOBJ”. Depending on the controlling area, you need to have different attribute values assigned. How do you design the model?

- * Compound the characteristic for Controlling Area with the characteristic “COSTOBJ”.
- * Define Controlling Area as a navigation attribute for the characteristic “COSTOBJ”.
- * Define characteristic “COSTOBJ” as a navigation attribute for Controlling Area.
- * Compound characteristic “COSTOBJ” with the characteristic for Controlling Area.

Q56. You want to model an SAP HANA calculation view by combining the sales orders with the corresponding customer status, which was assigned to the customer when the order was issued. Which join properties do you assign to the required join type?

- * Inner join with Dynamic Join properties

- * Referential join with Temporal Join properties
- * Inner join with Temporal Join properties
- * Referential join with Dynamic Join properties

Q57. Which features of an SAP BW/4HANA InfoObject are intended to reduce the physical data volume? Note; There are 2 correct answers to this question.

- * Reference characteristic
- * Transitive attribute
- * Compounding characteristic
- * Enhanced master data update

Q58. You use SAP HANA to integrate an HDI Calculation View (data category Dimension) into another HDI Calculation View (data category Cube with Star Join). What do you need to do before you can integrate the HDI Calculation View (data category Dimension)?

- * Build the design time file of the HDI Calculation View (data category Dimension) to generate a run time object.
- * Integrate the design time file of the HDI Calculation View (data category Dimension) into a CompositeProvider.
- * Integrate the design time file of the HDI Calculation View (data category Cube with Star Join) into a CompositeProvider.
- * Build the run time object of the HDI Calculation View (data category Cube with Star Join) to generate a design time file.

Q59. In which ODP context is the operational delta queue (ODQ) managed by the target system?

- * ODP_BW
- * ODP_CDS
- * ODP_SAP
- * ODPJHANA

Q60. From which SAP BW/4HANA objects can you start generating an external View? Note: There are 2 correct answers to this question.

- * CompositeProvider
- * Open ODS view
- * Semantic group object
- * BW query

Q61. You create a report with SAP Crystal Reports for Enterprise and need an analysis view as a data source. Which tool can you use to create this analysis view?

- * SAP BusinessObjects Web Intelligence
- * SAP Lumira, designer edition
- * SAP Crystal Reports for Enterprise
- * SAP Analysis for Microsoft Office

Q62. In which sequence does SAP recommend

- * 1. Transformations 2. Reporting requirements

3. Sources of data

4. Storage requirements

- * 1. Reporting requirements

2. Sources of data 3. Transformations

4. Storage requirements

* 1. Storage requirements

2. Transformations

3. Sources of data

4. Reporting requirements

* 1. Transformations i-I 2. Sources of data

3. Reporting requirements

4. Storage requirements

for the data model design concept?

Q63. Using SAP HANA as modeling focus, you want to combine data from different sources. Which techniques can you use? Note:
There are 2 correct answers to this question.

* BAPIs (Business Application Programming Interface)

* Calculation views

* AMDPs (ABAP Managed Database Procedures)

* Stored procedures

C_BW4HANA_27 Certification Overview Latest C_BW4HANA_27 PDF Dumps:

https://www.validexam.com/C_BW4HANA_27-latest-dumps.html