


Latest [Apr 03, 2023 DES-DD23 Exam Questions ? Valid DES-DD23 Dumps Pdf [Q25-Q48]



Latest [Apr 03, 2023] DES-DD23 Exam Questions & Valid DES-DD23 Dumps Pdf
DES-DD23 Practice Test Questions Answers Updated 56 Questions

NEW QUESTION 25

An administrator recognizes poor network performance when using CIFS shares from a PowerProtect DD system. The network link utilization is under 100%.

What is the most likely cause of this issue?

- * TCP window size too small
- * TCP timeout too small
- * TCP timeout too large
- * TCP window size too large

NEW QUESTION 26

What is the correct sequence of operations used by the PowerProtect DD DIA in the end-to-end verification process?

Stores the fingerprints	STEP 1
Writes request from the backup software	STEP 2
Verifies that the checksum that is read back matches the checksum written to the disk	STEP 3
Verifies that DDOS can read data from the disk	STEP 4
Analyzes data for redundancy and stores new data segments	STEP 5

Stores the fingerprints	Writes request from the backup software
Writes request from the backup software	Analyze data for redundancy and stores new data segments
Verifies that the checksum that is read back matches the checksum written to the disk	Stores the fingerprints
Verifies that DDOS can read data from the disk	Verifies that DDOS can read data from the disk
Analyzes data for redundancy and stores new data segments	Verifies that the checksum that is read back matches the checksum written to the disk

Reference:

<https://www.dell.com/community/Data-Domain/Introducing-data-protection-technology-DIA-of-Data-Domain/td-p/6960086>

NEW QUESTION 27

What can be used to monitor system utilization?

- * Health tab in the System Manager GUI
- * system show performance command
- * Alert Messages
- * system status command

NEW QUESTION 28

What is the order of steps to configure DD Boost on the backup host?

Configure backup policies and groups to use the PowerProtect DD appliance	STEP 1
License the backup software if required	STEP 2
Create devices and pools	STEP 3
Configure clone or duplicate operations to use managed file replication	STEP 4

Configure backup policies and groups to use the PowerProtect DD appliance	License the backup software if required
License the backup software if required	Create devices and pools
Create devices and pools	Configure backup policies and groups to use the PowerProtect DD appliance
Configure clone or duplicate operations to use managed file replication	Configure clone or duplicate operations to use managed replication

NEW QUESTION 29

A customer needs a backup system to protect 100 TB of mission-critical data. What should be used to back up the system?

- * cloud tier
- * DD6900
- * DD3300
- * DDVE

NEW QUESTION 30

An administrator is configuring an Azure cloud unit on their DD6900. Which certificate must be imported before adding the cloud unit?

- * GlobalSign Root R2
- * GlobalSign Root R1
- * S3 Flexible
- * Baltimore CyberTrust Root CA

NEW QUESTION 31

Which protocol is used for communications between a PowerProtect DD appliance and cloud tier to Dell EMC ECS?

- * SSH
- * SSL
- * FTP

* HTTPS

NEW QUESTION 32

An engineer is configuring a PowerProtect DD system for VTL using Fibre Channel. How should the zones be configured?

- * Hard zones
- * Single initiator, multi target
- * Single initiator, single target
- * Soft zones

NEW QUESTION 33

Backup administrators have noticed slow backups on the AIX environment.

To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

- * no and nfs_rfc1323=0
- * yes and nfs_rfc1323=0
- * no and nfs_rfc1323=1
- * yes and nfs_rfc1323=1

To optimize TCP/IP performance on the AIX host, set large_send to no for each NIC interface.

NEW QUESTION 34

What is the preferred method to ensure backups are protected against deletion or corrupt?

- * Encryption
- * Dell EMC Cloud Tier
- * Retention Lock
- * Data Invulnerability Architecture

NEW QUESTION 35

An administrator is migrating their old cloud tier-enabled Data Domain to a new PowerProtect DD appliance with cloud tier. During migration, the administrator recognizes that file system cleaning on the source system is not possible.

What is the most likely cause of this behavior?

- * Migration will restrict all activities on source systems.
- * Migration will restrict all activities on both systems.
- * Filesystem is disabled on source system.
- * Source system is running in restricted mode.

While the PowerProtect DD appliance is in restricted mode, the active tier storage is available for backup operations, but I/O on the cloud tier storage is not permitted.

The following operations are not permitted while the migration is in progress:

- * Sending active tier data to cloud tier storage.
- * Recalling data from cloud tier storage.
- * Cleaning the cloud tier storage.

- * Restoring files directly or reading from the cloud tier storage.
- * File system cleaning on the source system.
- * System sanitization cannot be performed on the source system.
- * Enabling or disabling file system encryption.
- * Enabling, disabling, or setting the embedded key manager or an external key manager.
- * Creating, destroying, deleting, or syncing keys from the embedded key manager or an external key manager.


NEW QUESTION 36

Which command is used to start the initial CLI configuration wizard?

- * config setup
- * install config
- * config
- * setup

NEW QUESTION 37

Refer to the exhibit.



To which shelf and port should SAS HBA slot 1 port B be connected?

- * Shelf 04 BH
- * Shelf 01 BH
- * Shelf 04 BE
- * Shelf 01 BE

NEW QUESTION 38

What is the order of steps to configure DD Boost on the backup host?

Configure backup policies and groups to use the PowerProtect DD appliance
License the backup software if required
Create devices and pools
Configure clone or duplicate operations to use managed file replication

STEP 1
STEP 2
STEP 3
STEP 4

Configure backup policies and groups to use the PowerProtect DD appliance
License the backup software if required
Create devices and pools
Configure clone or duplicate operations to use managed file replication

License the backup software if required
Create devices and pools
Configure backup policies and groups to use the PowerProtect DD appliance
Configure clone or duplicate operations to use managed replication

NEW QUESTION 39

Which PowerProtect DD procedure uses the DoD/NIST standards to provide data security?


- * Data Sanitization
- * End-to-End Verification
- * Replication Encryption
- * Encryption

NEW QUESTION 40

What are the steps to configure the Retention Lock Compliance?

Create iDRAC users
Add one or more security officer users
Configure the system to use DD Retention Lock Compliance
Enable DD Retention Lock Compliance on the system
Enable the security officer authorization

STEP 1
STEP 2
STEP 3
STEP 4
STEP 5



Reference:

<https://datastorageeas.com/sites/default/files/EMC-data-domain-retention-lock-wp.pdf>

NEW QUESTION 41

A PowerProtect DD appliance has been installed at a company's location for several months and has reached a steady state.

As a best practice, at what percentage of disk utilization should action be taken?

- * 60%
- * 70%
- * 80%
- * 95%

POWERPROTECT DD CAPACITY AND THROUGHPUT PLANNING AND MONITORING GUIDE, p. 57; If the CPU utilization shows 80% or greater, or if the disk utilization is 60% or greater, for an extended period the PowerProtect DD appliance is likely to run out of disk capacity or reach the CPU processing maximum

NEW QUESTION 42

What are some possible network bottlenecks for a PowerProtect DD?

- * Configuration, wire speeds, switches and routers
- * Connectivity, routing protocols, and configuration
- * Connectivity, firewalls, and routing protocols
- * Routing protocols, switches and routers, and wire speeds

NEW QUESTION 43

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

- * Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- * Increase in the overall size and scope Elimination of physical tape

Fewer copies that need to be tracked Increased speed of disaster recovery

- * Reduction in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery
- * Increase in the overall size and scope Elimination of physical tape

Number of copies that do not need to be tracked Increased speed of disaster recovery

NEW QUESTION 44

What is the maximum capacity for a DDVE?

- * 64 TB
- * 96 TB
- * 128 TB
- * 256 TB

NEW QUESTION 45

What is the correct sequence of steps to configure storage for Dell EMC Cloud Tier in the DD System Manager?

Click "Configure" in the Cloud Tier section	STEP 1
Click "Add to Tier"	STEP 2
Select "Storage" under the Hardware tab	STEP 3
Under "Addable Storage", select the checkbox for the shelf to add	STEP 4

Click "Configure" in the Cloud Tier section	Select "Storage" under the Hardware tab
Click "Add to Tier"	Click "Configure" in the Cloud Tier section
Select "Storage" under the Hardware tab	Under "Addable Storage", select the checkbox for the shelf to add
Under "Addable Storage", select the checkbox for the shelf to add	Click "Add to Tier"

NEW QUESTION 46

What is the maximum capacity for a DDVE?

- * 64 TB
- * 96 TB
- * 128 TB

* 256 TB

DDVE scales up to 96TB (on-prem) and up to 256TB (in-cloud) per instance

NEW QUESTION 47

When using CIFS from a PowerProtect DD system, what should be changed on a Windows machine?

- * SMBTimeout to 7200 seconds
- * CIFSTimeout to 3600 seconds
- * SESSTIMEOUT to 7200 seconds
- * SESSTIMEOUT to 3600 seconds

NEW QUESTION 48

A customer needs an upgrade on their DD6900 to use HA.

Which expansion shelf is required?

- * ES40
- * FS25
- * DS60
- * ES25

DES-DD23 dumps Sure Practice with 56 Questions: <https://www.validexam.com/DES-DD23-latest-dumps.html>