

## [Apr-2023 Practice Network Appliance NS0-303 exam. Online Exam Practice Tests with detailed explanations! Pass NS0-303 with confidence! [Q15-Q39

### Practice NetApp Certified NS0-303 exam. Online Exam Practice Tests with detailed explanations! Pass NS0-303 with confidence!

NS0-303 - NetApp Certified Hybrid Cloud - Administrator Practice Tests 2023 | ValidExam

#### QUESTION 15

You are the administrator for your company's Cloud Volumes ONTAP instances in AWS. You are experiencing problems with OnCommand Cloud Manager. NetApp support asks you to provide log files.

In this situation, which two methods would accomplish this task? (Choose two.)

- \* Set up a remote session with amazon Web Services (AWS) support to demonstrate the problem.
- \* Go to the Support Dashboard in the Cloud Manager UI and click the Send Now button.
- \* Use SSH to log in to the Cloud Manager instance and collect the logs from the `/opt/application/netapp/cloudmanager/log` directory.
- \* Go to the AWS Management Console and collect the logs from AWS CloudWatch.

#### QUESTION 16


You need to back up some of your daily Snapshot copies from ONTAP Select to Cloud Volumes ONTAP. You need to back up application-consistent Snapshot copies that are created four times daily. You also have several crash-consistent Snapshot copies that you do not want to back up to the cloud that are currently replicating.

To satisfy this requirement, which Snapshot policy parameter do you need to set on the application-consistent Snapshot copies?

- \* label
- \* count
- \* prefix
- \* schedule

#### QUESTION 17

Click the Exhibit button.



You are troubleshooting a failed SnapMirror relationship between two Cloud Volumes ONTAP instances. The source is Azure, and the destination is AWS.

Referring to the exhibit, which connection endpoints need to be verified?

- \* AWS VPC and on-premises network
- \* OnCommand Cloud Manager and Azure VNet
- \* AWS VPC and Azure VNet
- \* OnCommand Cloud Manager and AWS VPC

### QUESTION 18

Which two advanced SMB features are available with Cloud Volumes ONTAP 9.5? (Choose two.)

- \* credit limits
- \* workgroup authentication
- \* large MTU
- \* multichannel

### QUESTION 19

Click the Exhibit button.

Rule index	Allowed clients	Required	Access	Protocol
<a href="#">Rule</a>	10.0.0.0/24	Read & Write	Read only	NFSv3 ✕
<a href="#">Rule</a>	10.0.1.0/24	Read & Write	Read only	NFSv3 ✕
<a href="#">Rule</a>	10.0.2.0/24	Read & Write	Read only	NFSv3 ✕

Your Cloud Volumes Service export is mounted on a Red Hat Enterprise Linux instance.

You can view a top-level directory listing, but you cannot create files.

Referring to the exhibit, what is the IP address of your Red Hat Enterprise Linux instance?

- \* 10.0.1.0
- \* 10.0.1.6

- \* 10.0.0.0
- \* 10.0.2.6

#### QUESTION 20

When you export an NFS share to an AWS EC2 instance using OnCommand Cloud Manager, which two steps in the process would it automate? (Choose two.)

- \* mapping the LUN to the appropriate igroup
- \* creating the LUN In the volume
- \* exporting the volume/share to the EC2 Instance
- \* creating the volume

#### QUESTION 21

Your company has purchased a NetApp HCI. You are asked to deploy HA file services out of the NetApp HCI system.

Which two actions accomplish this task? (Choose two.)

- \* Select "Yes, I want to enable File Services" on the NetApp Deployment Engine.
- \* Provide an ONTAP Select license file.
- \* Provide an ONTAP cluster base license key.
- \* Use ONTAP Select Deploy.

#### QUESTION 22

You are your company's public cloud administrator and you must deploy Cloud Volumes ONTAP for your unstructured data. You want to use S3 storage for your replicated data. You are going to use data tiering to move this data to S3.

In this scenario, which tiering policy would you use?

- \* none
- \* snapshot only
- \* backup
- \* auto

#### QUESTION 23

You need to set permissions to launch OnCommand Cloud Manager in AWS public cloud without using Cloud Central.

In this scenario, to ensure that OnCommand Cloud Manager can launch successfully, which action would accomplish this task?

- \* Grant permissions to the IAM User.
- \* Grant permissions to the account Admin User.
- \* Open a firewall rule for port 443 to my.netapp.com.
- \* Grant permissions to the OnCommand Cloud Manager instance.

#### QUESTION 24

A customer has configured a replication policy of a mirror-vault type to replicate data between a volume in their ONTAP cluster and Cloud Volumes ONTAP instance. They have configured the relationship between the source and the destination volumes and also set up a replication schedule. However, the replication fails.

In this scenario, what caused this problem?

- \* Snapshot copies cannot be used for a SnapVault replication.
- \* A custom schedule is not supported.
- \* The time difference between the ONTAP cluster and the Cloud Volumes ONTAP Instance Is more than five minutes.
- \* The labels for the source volume Snapshot copies do not match the label in the SnapVault policy.

### QUESTION 25

As the administrator of NetApp Cloud Insights, you want to set up an alert on your on-premises NetApp ONTAP system when a volume reaches 70% full.

In this situation, which two actions are required to accomplish this task? (Choose two.)

- \* Create an annotation for volume capacity.
- \* Monitor the action field in Auditing Events.
- \* Set up an alert.
- \* Create a Performance Policy.

### QUESTION 26

Your Cloud Volumes ONTAP instance had an unplanned system outage. The instance is not highly available, and you had data loss after the instance came back online.

In this scenario, which OnCommand Cloud Manager provision setting was responsible for this data loss?

- \* High write speed
- \* Standard Storage
- \* Premium Storage
- \* Normal write speed

### QUESTION 27

You are operating a NetApp AFF system. You are creating Snapshot copies on all volumes every four hours. You keep the copies for 30 days. You also have StorageGRID installed with available capacity. You are running out of disk space and want to free up space in the most cost effective way without losing any Snapshot copies.

In this scenario, which statement is correct?

- \* Add additional SSDs to your aggregates.
- \* Add a tape library and copy the Snapshot copies to it every day.
- \* Deactivate Snapshot copies on all volumes.
- \* Add an external capacity tier to your aggregates and set the tiering policy to snapshot-only.


### QUESTION 28

Which storage protocol is supported by Azure NetApp Files?

- \* iSCSI
- \* NVMe
- \* FC SAN
- \* NFS v3

### QUESTION 29

Click the Exhibit button.



You are the administrator of Azure NetApp Files. You want to secure the NFS mount for your volume so that only the database server 10.10.8.14 can mount the volume.

Referring to the exhibit, to secure the volume, which two steps must you perform in the export policy? (Choose two.)

- \* Add a new index for 0.0.0.0/0 Read Only.
- \* Add a new Index for 10.10.8.14/32 Read & Write.
- \* Modify Index 1 from Read & Write to No Access.
- \* Delete index 1.

### QUESTION 30

As the site reliability engineer, you have successfully deployed Kubernetes clusters on AWS and Google Cloud Platform using NetApp Kubernetes Service.

In this scenario, what would enable you to manage these clusters through a single management Interface?

- \* Federation
- \* Helm Charts
- \* Istio
- \* NetApp Trident

### QUESTION 31

You want to create a new volume for Azure NetApp Files.

In this scenario, which three fields are mandatory? (Choose three.)

- \* File path
- \* Region
- \* Virtual network
- \* Capacity pool
- \* Subnet

### QUESTION 32

An administrator needs to set up a replication policy that uses minimal Snapshot copies at the source and a much larger number of Snapshot versions at the destination.

Using OnCommand Cloud Manager, which policy would enable this requirement?

- \* Mirror
- \* Backup

- \* snapshot
- \* retention

### QUESTION 33


You are creating a Cloud Volumes Service volume In Google Cloud Platform (GCP) that serves multiprotocol SMB and NFS.

In this scenario, which two directory services are supported? (Choose two.)

- \* third-party Active Directory as a Service in GCP
- \* Linux Samba Active Directory in the tenant Virtual Private Cloud (VPC)
- \* Windows Workgroup Authentication
- \* Windows 2008r2 or later Active Directory server in the tenant Virtual Private Cloud (VPC)

### QUESTION 34

Click the Exhibit button.



You are asked to replicate the SVM1 to AWS maintaining all storage efficiencies, as shown in the exhibit.

To satisfy this requirement, which product must be deployed?

- \* Cloud Volume Service for AWS
- \* Cloud Backup Service at AWS
- \* Cloud Sync in AWS
- \* Cloud Volumes ONTAP for AWS

### QUESTION 35

Your storage administrator deployed Cloud Manager in the private subnet of a virtual private cloud (VPC) in an AWS environment. The storage administrator asks you to configure a proxy server address to enable public Internet access to Cloud Manager.

How would you perform this task?

- \* Use Cloud Manager's public IP address.
- \* Use the transit gateway public IP address.
- \* Change the private IP address of Cloud Manager.
- \* Use Cloud Manager's private IP address.

### QUESTION 36

As the administrator of Cloud Insights, you installed the Acquisition Unit and configured the ONTAP Data Collector. You successfully added an ONTAP 9.5 system for monitoring.

When you add another FAS system, you receive the error message shown below.

Error: 7 Mode filers are not supported;

In this situation, which statement is correct?

- \* You must use the correct admin level username and password.
- \* You must configure the Data Collector for Data ONTAP 7-Mode.
- \* The communication between the Acquisition Unit and the ONTAP system gets blocked.
- \* ONTAP Systems running in 7-Mode are not supported by Cloud Insights.

### QUESTION 37

Your environment that is monitored by Cloud Insights is growing rapidly and requires the deployment of additional Data Collectors. You want to deploy preconfigured collectors.

In this scenario, what allows you to accomplish this task?

- \* Data Collector bulk import
- \* Data Collector Federation
- \* Data Collector cloning
- \* Data Collector PowerShell script

### QUESTION 38

Click the Exhibit button.

 **Visual View**  **Tabular View**

---

Engineering ✕

Cloud Volumes ONTAP | AWS

---

AWS Account: 123456789011

Cluster Management IP: 10.20.1.681

Serial Number: serial-Engineering-01

---

 **Normal Write Speed** >

---

 **New version available** >

You have a Cloud Volumes ONTAP HA pair that is provisioned in multiple availability zones. All components of the ONTAP cluster are eligible for update.

In this scenario, which two actions are performed during the upgrade when you use the default update options? (Choose two.)

- \* The HA pairs serve data during the upgrade process.
- \* The HA mediator is updated.
- \* The SnapMirror transfers continue during the upgrade process.
- \* The software image is pushed using HTTP

### QUESTION 39

You have deployed Cloud Volumes ONTAP into your Azure vNet. However you are unable to access the instance from your on-premises workstation. You verify that the provisioned Network Security Group on the instance is configured to allow access from 0.0.0.0/0.

In this scenario, what would be three reasons for this problem? (Choose three.)

- \* There is a restricted Network Security Group on the subnet.
- \* There are routing restrictions to the Azure vNet.
- \* There is no connectivity to the Azure vNet.
- \* There is a restricted Network Security Group on Cloud Manager.
- \* There is a Network Security Group on the gateway.



**The best NS0-303 exam study material and preparation tool is here: <https://www.validexam.com/NS0-303-latest-dumps.html>**