


Pass B2C-Commerce-Developer Exam Latest Practice Questions Updated on Apr 17, 2023 [Q79-Q101]



Pass B2C-Commerce-Developer Exam Latest Practice Questions Updated on Apr 17, 2023 Salesforce B2C-Commerce-Developer Study Guide Archives

The Salesforce B2C-Commerce-Developer certification exam is a challenging and comprehensive test of an individual's knowledge and skills in e-commerce development. The exam is a multiple-choice format, and the candidate must answer 60 questions within 105 minutes. The passing score for the exam is 70%, and the exam fee is \$200. Salesforce recommends that candidates have at least six months of experience developing e-commerce solutions on the Salesforce B2C Commerce platform before taking the exam. Successful completion of the certification exam demonstrates to employers and clients that a professional has the necessary skills and knowledge to develop and maintain e-commerce sites using the Salesforce B2C Commerce platform.

Q79. A custom cartridge that seemed to be performing well in a sandbox has been installed in production. The production instance is showing increased page load times that seem to be related to the new custom code.

What can a developer do to quickly track down the potential problem?

* Use the Code Profiler in production instance. Set the mode to Development Mode and then wait a few minutes to collect data

from onsite traffic. Click the refresh button to see the new data.

- * Use the Code Profiler in production instance. Set the mode to Development Mode and click the refresh button to see the new mode displayed.
- * Use the Code Profiler in a sandbox instance. Set the mode Extended Development Mode and then load the suspected pages and run the suspected process several times. Click the refresh button to see the new data.

Q80. A client has two B2C Commerce sites in the same instance: one for the U.S market, the other for the European market. The products they make are sold with different safety certificates based-on the world location.

For example, they sell a smartphone with certificate A in the U.S and certificate B in Europe, a hairdryer with certificate C in the U.S and certificate D in Europe, and more.

How should a developer allow the merchant to display the appropriate certification logo in the produce to details page, depending on the customer's location?

- * Add a Localizable custom attribute to the Certificate system object type.
- * Add an Image custom preference to the SitePreference system object type
- * Add a Site-specific custom attribute to the Product system object type.
- * Add a Localizable custom preference to the SitePreference system object type.

Object Type 'Product' - Attribute Definition Details

On this page you can manage details of your attribute definition. Different options are available depending on the value type of your attribute. C

Select Language:

ID:

Display Name:

Help Text:

Value Type:

Localizable/Site-Specific:

Q81. Given a job step configured in the steptype.json, a developer needs to add a custom status code `No_FILES_FOUND`.

Which code snippet will complete the requirement?

- * `var status = {success: 'OK'; Message: 'NO_FILES_FOUND'};`

`return status;`

- * `var status = require('dw/system/status');`

`return new Status(Status.OK, 'NO_FILES_FOUND');`

- * `this.status = 'NO_FILES_FOUND';`

`return this;`

* return `‘NO_FILES_FOUND`

Package dw.system

Class Status

Object
↳ dw.system.Status

A Status is used for communicating an API status code back to a client. A status consists of multiple StatusItem. Most often a Status contains only one StatusItem. For convenience, a message with parameters locale-specific messages in your application, you should use the Status.getCode() as key for a resource bundle.

```
static OK : Number
```

status value to indicate an OK status

Q82. A Digital Developer adds the following line of code to a script.

```
dw.system.Logger.getLogger('login').debug("Login API has succeeded");
```

The code executes without error; however, the log file on disk does NOT contain the log message.

Which two actions should be completed to write the log message to disk? (Choose two.)

- * Ensure that the debug log level is enabled to write to file in the Custom Log Settings Business Manager module.
- * Archive old log files to make room in the log directory.
- * Ensure that the `login` category is added to the Custom Log Filters in the Log Settings Business Manager module.
- * Ensure that the debug log level has been added to the custom log level types in the Global Preferences business manager module.

Q83. Which is an appropriate use of the `<isif>` ISML tag that follows B2C Commerce and SFRA best practices?

- * Display a section of the page to logged users only
- * Implement involved business logs through conditional statements.
- * Redirect users to the registration page if they are not logged in

Q84. A Digital Developer noticed that cartridges in their workspace are NOT executing. The Developer confirms that the cartridges are uploaded to the B2C Commerce server connection's target version directory.

Which action potentially solves this problem?

- * Set the active code version to use the latest compatibility mode.
- * Remove invalid characters from the code version's name.
- * Remove invalid characters from cartridge file and folder names.
- * Set the server connection's target version directory to the active code version.

References:

Q85. A developer needs to render a Page Designer page in JSON format. What is the correct syntax?

- * `PageMgr.serializePage(pageID, {parameter1:value1});`
- * `JSON.stringify(PageMgr.renderpage(pageID), {paramter1:value1});`

* PageMgr.renderPage{pageID, {parameter1: value1}}

Q86. A Digital Developer has identified that the code segment below is causing performance problems.

```
var productSearchHits : Iterator = pdict.SearchResult.getProducts();
var foundProduct : dw.catalog.Product;
var results = new ArrayList();

while (productSearchHits.hasNext()) {
    foundProduct = productSearchHits.next();

    if (foundProduct.custom.isOnSaleFlag == "true") {
        results.add(foundProduct);
    }
}

return results;
```

What should the Developer do to improve the code?

- * Use a system attribute instead of the isOnSaleFlag custom attribute.
- * Avoid post-processing and use the isOnSaleFlag attribute as a search refinement.
- * Breaks the process into separate loops.
- * Avoid using an Iterator and use a Collection instead.

Q87. A developer configures the dw.json file and needs to fill in the necessary parameters to complete the task.

Which three parameters are required when using npm scripts?

Choose 3 answers

- * Username/Password
- * Code Version
- * Hostname
- * Site ID
- * CSRF Token

Q88. Universal Containers wants to add a model field to each product. Products will have locale-specific model values.

How should the Digital Developer implement the requirement?

- * Utilize resource bundles for translatable values.
- * Set the model field as a localizable attribute.
- * Store translated model values in different fields; one field for each locale.
- * Add model to a new custom object with localizable attributes.

Q89. There are three logging categories: category1, category1.eu, and category1.us.

In Business Manager, category1 is enabled for WARN level and no other categories are configured. All custom log targets are enabled.

The code segment below executes.

```
var logger = Logger.getLogger("loggerFile","category1.eu");
logger.warn("This is a log message");
```

What is the result?

- * Logs will not be written.
- * Logs will be written to the log file with a prefix loggerFile.
- * Logs will be written to the log file with a prefix custom-loggerFile.
- * Logs will be written to the log file with a prefix customwarn.

Q90. A Digital Developer has identified that the code segment below is causing performance problems.

```
var productSearchHits : Iterator = pdict.SearchResult.getProducts();
var foundProduct : dw.catalog.Product;
var results = new ArrayList();

while (productSearchHits.hasNext()) {
    foundProduct = productSearchHits.next();

    if (foundProduct.custom.isOnSaleFlag == "true") {
        results.add(foundProduct);
    }
}

return results;
```

What should the Developer do to improve the code?

- * Use a system attribute instead of the isOnSaleFlag custom attribute.
- * Avoid post-processing and use the isOnSaleFlag attribute as a search refinement.
- * Breaks the process into separate loops.
- * Avoid using an Iterator and use a Collection instead.

Q91. Assume the code below is executing:

```
var log = Logger.getLogger("xyz", "export");
log.info("This is important information");
```

Business Manager has the configuration:

- * Active Log category is `/root`; with log level of `info`;

Given this information, what is the beginning of the filename in which the log will be written?

- * xyz
- * custominfo-blade
- * custom-export
- * custom-xyz

Q92. Given the file structure below, which ISML method call renders the customLandingPage template?



- * ISML.renderTemplate(‘cartridge/templates/default/content/custom/customLandingPage’);
- * ISML(‘content/custom/customLandingPage’);
- * ISML.render(‘content/custom/customLandingPage’);
- * ISML.renderTemplate(‘content/custom/customLandingPage’);

References:

Q93. Universal Containers created a site export file from staging in the global export directory. How should the Digital Developer update their sandbox using this staging site export file?

- * Perform a data replication from staging.
- * Use the Site Development > Site Import & Export Business Manager module.
- * Download the site export file and use UX Studio to transfer the data to the sandbox.
- * Use the Site Development > Import & Export Business Manager module.

Q94. A Digital Developer is implementing an Open Commerce API call to add products to a basket. Given the following resource configuration:

```
{
  "resource_id": "/baskets/**",
  "methods": ["get"],
  "read_attributes": "(**)",
  "write_attributes": "(**)"
}
```

Which modification allows the requests to successfully execute?

- * Change the “resource_id” value to: “/baskets/*/items”.
- * Change the “write_attributes” value to: “(items)”.
- * Change the “read_attributes” value to: “(items)”.
- * Change the “methods” value to: [“get”, “post”].

Q95. In Log Center, a developer notes j number of Cross Site Request Forgery (CSRF) log entries.

After adding the token in the ISML template, which action might solve this problem’

- * Add csrfProtection middleware steps in the controller
- * Extend the CSRF token validity to avoid timeouts.
- * Delete the existing CSRF allow list in Business Manager.

Q96. A business user wants to add a link to a content page from within the body of another content asset. The target content asset ID is: terms-and-conditions.

Which link function generates the correct link?

- * \$include(‘Page-Include’, ‘cid’, ‘terms-and-conditions’)\$
- * \$http(‘Content-Page’, ‘cid’, ‘terms-and-conditions’)\$
- * \$httpUrl(‘Content-Show’, ‘cid’, ‘terms-and-conditions’)\$
- * \$url(‘Page-Show’, ‘cid’, ‘terms-and-conditions’)\$

References:

Q97. Refer to the screen shotbelow:

Administration > Sites > Manage Sites > RefArch - General
General Settings Cache Site Status Page Meta Tag Rules

RefArch - General

Fields with a red asterisk (*) are mandatory. Click **Apply** to save the details. Click **Reset** if you want to revert to the last saved state.

ID:	RefArch
Name:	RefArch
Time Zone:	UTC
Default Currency:	US Dollar
Taxation:	Net
Customer List:	RefArch
Brand:	
Billing Entity:	
Description:	

Given a site called RefArch that has the settings shown, what must be done for RefArch to use the same customer list as RefArchGlobal?

- * Import the RefArchGlobal customer list into the RefArch site.
- * Enable Customer List Sharing; in GlobalPreferences.
- * Select RefArchGlobal in the dropdown for Customer List.
- * Enable Customer List Sharing; in Site Preferences.

Q98. Consider the following information:

- * A merchant has this three-tier category structure setup in the Storefront catalog:

New Arrivals > Women > Clothing

- * The category named Clothing has all the clothing items for Women and is merchandised.
- * A Search Refinement named Newness is correctly configured for the Clothing category.

When a merchandiser views the Clothing category, the Search Refinement appears and Works as expected. However, the merchandiser does not see the Search Refinement when searching for Clothing via the Storefront search.

What is the Reason?

- * There are conflicting Search Refinement definitions for Clothing and one of its parent categories
- * The Search Refinement definition is not set up for the Women category
- * The Search Refinement definition is not set up for the New Arrivals Category.
- * The Search Refinement definitions is not set up for the Root Category

Q99. Given the following snippet:

- * `Server.append(Show, function (req, res, next))`

According to SFRA, which two options shows a correct way to complete the code above in order to provide data to the response using a controller?

Choose 2 answers

```
* res.viewData = {
```

```
data: myDataObject
```

```
};
```

```
res.render('/content/myPage');
```

```
next();
```

```
});
```

```
* res.setViewData ({
```

```
data: myDataObject
```

```
});
```

```
res.render('/content/myPage');
```

```
next();
```

```
});
```

```
* res.render('/content/myPage',{
```

```
data: myDataObject
```

```
});
```

```
next();
```

```
});
```

```
* res.render('/content/myPage');
```

```
next();
```

```
}).append{(
```

```
Data:myDataObject
```

```
});
```

Q100. A developer observed a specific issue in production, which they cannot reproduce in other environments. The developer wants to do a hot fix to one of the ISML pages, which uses <iscach> tag, to see if that resolves while issue. Which consideration must the developer keep in mind while deploying the hot fix in production?

* It will be required to invalidate the cache for the hot fix.

- * If the page has multiple tags, the highest cache duration will be used in production to determine the resulting page's caching behavior.
- * The TTL cache setting only affects static content and not the page cache, which could potentially cause the production issue.

Q101. A retailer notices that the Account Addresses page is showing the wrong shopper's address.

Which tool should the developer start with to identify the issue?

- * Pipeline profiler
- * Code Profiler
- * Storefront Toolkit
- * Reports and Dashboards Module

The Salesforce B2C-Commerce-Developer certification is an essential credential for professionals who want to demonstrate their expertise in e-commerce development on the Salesforce platform. The certification exam tests the candidate's proficiency in various areas of e-commerce development, and those who hold this certification are expected to have a deep understanding of the platform's architecture, data model, and APIs. The certification is recognized globally and is a valuable asset for professionals who want to advance their careers in e-commerce development.

The guide to Prepare the Salesforce B2C-Commerce-Developer: Salesforce Accredited B2C Commerce Developer Exam

Two primary sorts of materials are available to prepare for certification tests for B2C Commerce Developer. First, specific guidelines and texts for the formation of knowledge from the bottom up. Second, video tutorials and lectures are available that can reduce the stress and make certain candidates considerably less dull, but time and focus are needed. Intelligent candidates who wish to create a firm foundation for all examination topics and related technologies generally mix video lectures with studying models to enjoy the benefits of the two.

B2C Commerce Developer practice exams are designed to make the actual examination environment pleasant to the pupils. When we look at the statistics, many students fail owing to the examination anxiety and the dread of the unknown, not due to this preparation. The team of experts on certification questions suggests that you also prepare a number of comments on these subjects. Remember not to practice our specialist team **B2C Commerce Developer exam dumps** which will enable you to pass this test with excellent marks.

Certificate questions respect your time and work for your easy and effective preparation of your Salesforce Certified Developer Certificate. It provides the newest practices for B2C Commerce Developers. If the Salesforce B2C-Commerce-Developer has been accredited to evaluate the curriculum modifications during Salesforce B2C-Commerce-Developer, you will get questions from the Salesforce B2C-Commerce-Developers after the purchase. Updates of test questions from B2C-Commerce-Developer will never be late, and you will receive them for free 90 days after the date of purchase. Always use the latest B2C-Commerce-Developer Certified Developer questions in preparation for your B2C-Commerce-Developer Salesforce exam. The B2C Trade Developer Exam accredited by B2C will save your time from the obsolete and irrelevant learning content. Certificate-Questions offers **B2C-Commerce-Developer exam dumps** in PDF format. The question file may be downloaded instantly after purchase on all intelligent devices, including the PC, laptop, Mac, tablet and smartphone. The question file is handled by the B2C Salesforce Trade Developer. You may prepare your B2C-Commerce administrator contest anyplace in your leisure time. With a

B2C-commerce-administrator practice test, you can grasp every subject of your Salesforce certified B2C-commerce-developer certification at home. The examination of the B2C Developer continues with time, therefore you need to keep the questions of a B2C Trade Developer reviewed in preparation. Trade Developer exercise is authorized by B2C Travel Administrator Salesforce. The PDF training material of the B2C-commerce administrator includes real questions and correct answers from the B2C-Commerce-administrator examinations of the Salesforce Certified Developer. The PDF question and reply team of accredited Sales force experts is prepared for the B2C trade administrator. With their responses, you can receive the questions from the current B2C-Commerce-Developer from the Salesforce Accredited B2C Commerce Developer exam. Salesforce's experts can verify the questions and responses of the B2C-commerce-administrator in the PDF so that the B2C-commerce-administrative B2C Commerce Developer Test is valid for the B2C-commerce-administration certified administrator exam in Salesforce.

B2C-Commerce-Developer Questions Prepare with Learning Information:

<https://www.validexam.com/B2C-Commerce-Developer-latest-dumps.html>