


## C-FIOAD-2021 Questions - Truly Beneficial For Your SAP Exam (Updated 151 Questions) [Q30-Q53]



### C-FIOAD-2021 Questions - Truly Beneficial For Your SAP Exam (Updated 151 Questions) View All C-FIOAD-2021 Actual Exam Questions, Answers and Explanations for Free QUESTION 30

You want to enable HTTPS between the SAP Web Dispatcher and the FES System. What are some of the steps you need to perform? There are 2 correct answers to this question.

- \* In the SAP Web Dispatcher's server PSE import a signed server certificate to the pse management
- \* In the FES System determine the singer of SSI server certificates used for the FES Server PSE
- \* In the FES system Create a new key pair in the SAPSSLS view of the pse management
- \* In the SAP Web dispatcher's client PSE import the CA root certificate used for the FES server PSE

#### QUESTION 31

What information do you have to provide during the installation of an SAP web dispatcher as it relates to the ABAP-based SAP system? There are 2 correct answers to this question.

- \* The instance number of the primary applications server (PAS) of the SAP system
- \* The system ID (SID) of the SAP system
- \* The HTTP port of the message server of the SAP system

- \* The ICF service in SAP system that is required by SAP web dispatcher

### QUESTION 32

You want to set up SSL encryption for the communication channel from the SAP Fiori Clients via an SAP web Dispatcher to the FES system. What is one of the configuration steps necessary to establish an HTTPS connection between SAP Fiori clients and the SAP Dispatcher?

- \* Sign the FES System's SSL Server Certificate and import it in to the SAP web dispatcher's client PSE.
- \* Sign the sap Web dispatcher's SSL Server certificate and import into the SAP Web Dispatcher's server PSE.
- \* Sign the FES system's SSL client Certificate and import it into the SAP Web dispatcher's client PSE.
- \* Sign the SAP Web dispatcher's SSL Client certificate and import it into the SAP Fiori Client.

### QUESTION 33

What is the minimum number of dialog work processes per ABAP dispatcher?

- \* 1
- \* 0
- \* 4
- \* 2

### QUESTION 34

Which of the following are based on the SAP Fiori elements framework? There are 3 correct answers to this question.

- \* Design Studio
- \* List report
- \* Overview page
- \* Object page
- \* Web Dynpro

### QUESTION 35

In an SAP S/4HANA environment, which elements need a direct connection to the BES system? There are 2 correct answers to this question.

- \* Legacy apps
- \* Analytical apps
- \* SAP fiori search
- \* Fact sheet apps

### QUESTION 36

In an SAP S/4HANA system, which element group SAP Fiori apps based on the duties of a user?

- \* Back-end catalog
- \* Business catalog
- \* Business catalog group
- \* Technical catalog

### QUESTION 37

Which task list can create and index search connectors?

- \* SAP\_ESH\_INDEX\_USER\_AUTHORITY

- \* SAP\_ESH\_INITIAL\_SETUP\_WRK\_CLIENT
- \* SAP\_ESH\_CONFIGURATION
- \* SAP\_ESH\_INITIAL\_SETUP\_000\_CLIENT

### QUESTION 38

For which user groups can task list SAP\_FIORI\_FOUNDATION\_S4 generate SAP Fiori foundation roles?

There are 2 correct answers to this question.

- \* End-users
- \* Administrators
- \* Developers
- \* Managers

### QUESTION 39

What is the starting point of rapid activation for SAP Fiori?

- \* Business catalogs
- \* Business catalog groups
- \* Business users
- \* Business roles

### QUESTION 40

You are responsible for a newly installed (not upgraded) SAP S/4HANA 1610 System with several instances.

Two of them are additional applications servers (AAS). How many active profile files are persisted in the profile directory of this SAP s/4HANA system?

- \* 7
- \* 5
- \* 9
- \* 4

### QUESTION 41

Which of the following can be the source definition of an OData service in ABAP? There are 2 correct answers to this question.

- \* Core data services (CDS) View
- \* SAP Gateway project
- \* SAP HANA extended application services OData service
- \* ABAP Managed Database procedure (AMDP)

### QUESTION 42

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? There are 2 correct answers to this question.

- \* By assigning the correct target mappings, shipped via catalog /U12/CLASSICAL\_GUI\_MENU
- \* By assigning the authorization to start transaction SEARCH\_SAP\_MENU
- \* By providing an HTTP destination type H named FIORI\_CLASSICUI\_HTTPS (transaction SM59)
- \* By applying the correct settings in the SAP Fiori launchpad configuration (transaction

/UI2/FLP\_SYS\_CONF or /UI2/FLP\_CUS\_CONF)

#### QUESTION 43

In an SAP S/4HANA system, a target system alias, FIORI is maintained for source system alias S4FIN. Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- \* S4FINJHTTPS
- \* FIORLRFC
- \* FIORLHTTPS
- \* S4FIN\_RFC

#### QUESTION 44

You want to ensure that push notifications show up in a user's SAP Fiori launchpad. Which of the following options can you use to enable this? There are 2 correct answers to this question.

- \* Assign notification provider SAP\_BUSINESS\_WORKFLOW to the user.
- \* Assign SAP Fiori catalog /UI2/CONFIG\_NOTIFICATION to one of the user's roles.
- \* Assign one of the user's roles to the system alias of OData service group/IWNGW/NOTIFICATION.
- \* Set &#8220;NOTIFICATIONS = true&#8221; and &#8220;NOTIFICATIONSJI = true&#8221; in the FLP configuration

#### QUESTION 45

You are running an ABAP-based SAP system with embedded SAP Web Dispatcher. You want to allow an existing ICF service to be called with a meaningful, non-technical name (such as

https://<host>.<port>/<meaningfulname>). What is the recommended way to achieve this?

- \* Create an external alias (transaction SICF).
- \* Create an internal reference (transaction SICF).
- \* Adapt the dispatching table (SA Web Dispatcher Administration UI).
- \* Create a Web service with meaningful name (transaction SOAMANAGER).

#### QUESTION 46

In an ABAP-based development system, you want to implement a transport-based correction instruction (TCI).

Which transaction do you use?

- \* STMS
- \* STC2
- \* SNOTE
- \* SPAM

#### QUESTION 47

What can you do with external aliases in the ICF (transaction SICF)? There are 2 correct answers to this question.

- \* Maintain logon groups
- \* Deactivate the referred ICF service
- \* Create virtual hosts
- \* Give a semantic name to the referred ICF service

#### QUESTION 48

Which activity is specific to the implementation of SAP Fiori Fact sheet apps?

- \* Activation of relevant UI services
- \* Creation of search connectors
- \* Registration of OData services
- \* Check of relevant authorization

#### QUESTION 49

Which SAP Fiori Floorplan provides all the information a user needs in a single page. Based on the specific domain or role of the user?

- \* List report
- \* FLP Initial page
- \* Overview page
- \* Fact sheet

#### QUESTION 50

You want to enable apps based on KPI design. Which configuration steps apply to the KPI design? There are 2 correct answers to this question.

- \* Registration of the following OData services.

./UI2/PAGE\_BUILDER\_PERS

./UI2/INTEROP

- \* Activation of ICF services in the name range /sap/bc/ui5\_ui5/sap/sb\_apps\_\*
- \* registration of the following OData services:

./SSB/SMART\_BUSINESS\_DESIGNTIME\_SRV

./SSB/SMART\_BUSINESS\_RUNTIME\_SRV

- \* Activation of ICF services below node /sap/bc/ui5\_ui5/ui2s

#### QUESTION 51

What happened when you execute a user comparison using transaction PFCG (Role Maintenance) in AS ABAP?

- \* Authorization in the user master record of two different users are compared.
- \* Authorization objects are checked to find missing authorizations.
- \* Role menus are added to a user master record based on the assigned roles.
- \* Profiles are added/deleted from the user master record if required.

#### QUESTION 52

Your SAP S/4HANA system with a PAS instance and one AAS instance is not running. The SAP HANA database of this system is up and running. You execute command `&#8220;sapcontrol- user <sid>adm <password> -nr`

`<Instance Number of AAS> -function StartSystem LEVEL 2&#8243;` in a suitable environment. Which component(s) of the systems will be started?

- \* The ASCS instance and the PAS instance
- \* The AAS instance only

- \* No instance is started
- \* The ASCS instance only

### QUESTION 53

You want to enable apps based on KPI design. How can you register SAP Gateway service

/SSB/SMART\_BUSINESS\_RUNTIME\_SRV? There are 2 correct answers to this question.

- \* Using transaction /IWFND/MAINT\_SERVICE
- \* Using task list SAP\_BA/\_SETUP\_INITIAL\_S4HANA
- \* Using task list SAP\_FIORI\_FOUNDATION\_S4
- \* Using transaction /IWFNDN4\_ADMIN

**C-FIOAD-2021 dumps Free Test Engine Verified By It Certified Experts:**

<https://www.validexam.com/C-FIOAD-2021-latest-dumps.html>