

B2C-Commerce-Developer Braindumps Real Exam Updated on Aug 27, 2023 with 207 Questions [Q64-Q82]



B2C-Commerce-Developer Braindumps Real Exam Updated on Aug 27, 2023 with 207 Questions
Latest B2C-Commerce-Developer PDF Dumps & Real Tests Free Updated Today

Q64. Universal Containers needs to have Apple Pay disabled for the country of Spain. Which Business Manager module should the Developer use to meet this requirement?

- * Merchant Tools > Ordering > Payment Processors
- * Merchant Tools > Ordering > Payment Methods
- * Merchant Tools > Site Preferences > Payment Types
- * Merchant Tools > Site Preferences > Apple Pay

Q65. A developer is asked to improve the maintainability of a page by reducing its code repetition.

What are two techniques the developer should implement to achieve this? (Choose two.)

- * Implement template decorators paired with replace tags
- * Embed partial files using ISML expressions
- * Require and render templates with <isscript> tags
- * Use local template includes

Q66. The following code ensures that an address ID CANNOT be used if it is already in use by another address in the customer's address book. There is a problem with the code. The error message for an invalid address ID is never shown to the user on the form field.

```
if (address.ID != addressForm.addressid.value) {  
    for (var i = 0; i < addressBook.addresses.length; i++) {  
        if (addressBook.addresses[i].ID == addressForm.addressid.value) {  
            addressForm.invalidateFormElement();  
            throw new Error('Address name already exists');  
        }  
    }  
}
```

How should the Digital Developer resolve this issue so that the error message is displayed on the address ID form field?

- * `addressForm.invalidateFormElement('Address name already exists');`
- * `addressForm.addresssid.invalidateFormElement = true;`
- * `addressForm.invalidateFormElement(addressForm.addressid);`
- * `addressForm.addresssid.invalidateFormElement();`

Q67. A developer has a requirement to add a new field to the IN registration form that must not appear in the US one.

Which path should be created to accomplish this requirement?

- * `cartridge/forms/en_IN/profile.xml`
- * `cartridge/forms/profrfe_en_IN.xml`
- * `cartridge/forms/profde.in.xml`

Q68. A Digital Developer has been given a requirement to add fault tolerance to an existing web service integration that uses Service Framework. Administrators at Universal Containers need to be able to configure the timeout and rate limiting.

Which approach should the Developer use to implement the requirement?

- * Implement a `ServiceUnavailableException` exception handler to execute fallback code.
- * Use the `setTimeout` method to execute fallback code if the request has NOT completed.
- * Create a site preference to store timeout settings and implement an `IOException` handler to execute fallback code.
- * Implement a condition that checks to see if the response was empty and execute fallback code if true.

Q69. The developer created a new Storefront category in `storefront-catalog-m-en`, but when viewing the Storefront site, the category is not visible.

What are two possible reasons?

- * The Storefront catalog is offline
- * The category does not contain available products
- * The category is not sorted
- * The category is offline.

Q70. A Digital Developer is tasked with setting up a new Digital Server Connection using UX Studio in their sandbox.

Which three items are required to accomplish this task? (Choose three.)

- * Instance Version
- * Instance Hostname

- * Business Manager Username
- * Keystore Password
- * Business Manager Password

Q71. A Digital Developer wants to selectively retrieve products and process them from an iPhone.

Which action should the Developer take, given that JavaScript controllers CANNOT be used?

- * Use import/export in Business Manager.
- * Create a webservice to retrieve products.
- * Use OCAPI and invoke it in native language.
- * Use WebDAV Client to retrieve products.

Q72. The Home-Show route uses this middleware chain:

```
server.get('Show', consentTracking.consent, cache.applyDefaultCache, function (req, res, next) {  
    // base code here  
});
```

The developer added Home.s in another cartridge, which is before the original cartridge in the cartridge path, to extend that route but it does not have the middleware chain:

```
server.append('Show', function (req, res, next) {  
    // custom code here  
});
```

Assuming the code is correct on both functions, what is the expected result?

- * A RunTime error is thrown, “Error: Params do not match route”.
- * The base code executes and then the custom code executes.
- * The custom code executes and then the base code executes.
- * The base code executes, but the custom code is ignored because the signature lines do not match.

Q73. Universal Containers needs to have Apple Pay disabled for the country of Spain.

Which Business Manager module should the Developer use to meet this requirement?

- * Merchant Tools > Ordering > Payment Methods
- * Merchant Tools > Site Preferences > Apple Pay
- * Merchant Tools > Ordering > Payment Processors
- * Merchant Tools > Site Preferences > Payment Types

Q74. A client wants to differentiate their monobrand stores with a special icon when shown in the store locator. The information is saved in a true/false custom attribute for each Store object in Merchant tools.

How should the developer follow SFRA best practices to expose this data for rendering?

- * Extend the existing Stores_Find controller with a new middleware function that performs the query

- * Pass the Store system object to the template, so that custom properties are available
- * Add `<isscript>` to the template, and call `StoreMgr.searchStoresByCoordinates()`;
- * Use the `module.superModule` functionality and the call method to add a new property to the Store Model.

Q75. A developer plans to use the `/search_suggestion` (Shop API) in a Storefront application and the following property must be set to do so `suggestion.product.image:view_type` What consideration should the developer keep in mind to ensure that image data is returned correctly as part of search suggestions?

- * If the `view_type` is not set or if the `view_type` is unknown, the image properties are not part of the response.
- * If the `view_type` is not set or if the `view_type` is unknown, the image size of `‘small’` is used by default
- * If the `view_type` is not set or if the `view_type` is unknown, the image size of `‘large’` is used by default

Q76. A developer has custom debug statements in a script, but the messages are not showing up in the Storefront Toolkit Request Log.

Which step needs to be completed to get the messages to appear in the Request Log?

- * In Custom Log Settings, activate the logging category at DEBUG level
- * In Custom Log Settings, check the DEBUG box for Select Log Levels Written to Files
- * In Site Preferences, check the box for Enable custom logging in Request Log
- * In Global Preferences, check the box for Enable custom logging in Request Log

Explanation/Reference: [https://documentation.b2c.commercecloud.salesforce.com/DOC3/index.jsp?topic=%](https://documentation.b2c.commercecloud.salesforce.com/DOC3/index.jsp?topic=%2Fcom.demandware.dochelp%2Fcontent%2Fb2c_commerce%2Ftopics%2Fstorefront_toolkit%2Fb2c_using_the_request_log.html)

[2Fcom.demandware.dochelp%2Fcontent%2Fb2c_commerce%2Ftopics%2Fstorefront_toolkit%](https://documentation.b2c.commercecloud.salesforce.com/DOC3/index.jsp?topic=%2Fcom.demandware.dochelp%2Fcontent%2Fb2c_commerce%2Ftopics%2Fstorefront_toolkit%2Fb2c_using_the_request_log.html)

[2Fb2c_using_the_request_log.html](https://documentation.b2c.commercecloud.salesforce.com/DOC3/index.jsp?topic=%2Fcom.demandware.dochelp%2Fcontent%2Fb2c_commerce%2Ftopics%2Fstorefront_toolkit%2Fb2c_using_the_request_log.html)

Q77. A Digital Developer needs to check for product inventory in a specific inventory list using the Open Commerce API.

An example request URL is:

```
http://sitegenesis.demandware.net/dw/data/v18_3/inventory_lists/  
ecom-inventory/product_inventory_records/00883408601
```

Which `resource_id` value enables the appropriate resource?

- * `/inventory_lists/*`
- * `/inventory_lists/**`
- * `/inventory_list_search`
- * `/products/*`

Q78. A developer cannot create a custom object in Business Manager because the attributes do not show. The developer can view the object but not the attributes.

Which action should the developer take to resolve the problem?

- * Change the data type of the attributes
- * Set the attributes to site-specific replicable
- * Create an Attribute Group with the desired attributes in it
- * Sort the attributes in the custom object type

Explanation/Reference:

Q79. A developer has a sandbox with code to log a message during execution, and the following code:

```
var Logger = require('dw/system/Logger');  
Logger.info(message);
```

After the code executes, the developer does not see any log file with the message in the WebDAV folder. Which two tasks does the developer need to perform to correct this issue?

Choose 2 answers

- * Request that the developer's account be given permission to the Log Center of the current realm.
- * Set the root log level to debug.
- * Check the box for Info under Log Files.
- * Set the logging global preference to true.

Q80. Universal Containers sells physical gift cards for the holidays.

What needs to occur to guarantee the cards will always be available?

- * Create an inventory record with an unlimited Allocation value.
- * Create an inventory record with an extremely high Allocation value (i.e., 1 billion certificates).
- * Create a perpetual inventory record.
- * Create an inventory record with Backorder Handling enabled.

Q81. A Digital Developer needs to check for product inventory in a specific inventory list using the Open Commerce API.

An example request URL is:

```
http://sitegenesis.demandware.net/dw/data/v18_3/inventory_lists/  
ecom-inventory/product_inventory_records/00883408601
```

Which resource_id value enables the appropriate resource?

- * /inventory_lists/*
- * /inventory_lists/**
- * /inventory_list_search
- * /products/*

Q82. A client has two B2C Commerce sites in the same instance: one for the U.S market, the other for the European market. The products they make are sold with different safety certificates based-on the world location.

For example, they sell a smartphone with certificate A in the U.S and certificate B in Europe, a hairdryer with certificate C in the U.S and certificate D in Europe, and more.

How should a developer allow the merchant to display the appropriate certification logo in the produce to details page, depending on the customer's location?

- * Add a Localizable custom attribute to the Certificate system object type.
- * Add an Image custom preference to the SitePreference system object type.
- * Add a Site-specific custom attribute to the Product system object type.
- * Add a Localizable custom preference to the SitePreference system object type.

Object Type 'Product' - Attribute Definition Details

On this page you can manage details of your attribute definition. Different options are available depending on the value type of your attribute. C

Select Language:

ID:

Display Name:

Help Text:

Value Type:

Localizable/Site-Specific:

B2C-Commerce-Developer Dumps With 100% Verified Q&As - Pass Guarantee or Full Refund:
<https://www.validexam.com/B2C-Commerce-Developer-latest-dumps.html>