


## Pass Guaranteed Quiz 2024 Realistic Verified Free C-FIOAD-2021 Exam Dumps [Q49-Q72]



Pass Guaranteed Quiz 2024 Realistic Verified Free C-FIOAD-2021 Exam Dumps  
Free SAP Certified Technology Associate C-FIOAD-2021 Ultimate Study Guide (Updated 151 Questions)

**NO.49** You want to work with the SAP Gateway performance trace tool (transaction /IWFND/TRACES). What can you configure?  
There are 2 correct answers to this question.

- \* The number of days to keep the performance trace data
- \* The maximum number of entries in the trace
- \* The application server(S) on which the trace is activated
- \* The duration in hours for the active trace

**NO.50** In what way can SAP Fiori search requests be forwarded to an SAP S/4HANA system? There are 2 correct answers to this question.

- \* As an OData request to ESH\_ADMIN\_SRV
- \* As an HTTP request to the connector administration cockpit
- \* As an InA request to SAP HANA enterprise search
- \* As an OData request to ESH\_SEARCH\_SRV

**NO.51** You want to enable communication between the SAP web dispatcher and an ABAP-based SAP system. How do you check prerequisites for the SAP web dispatcher? There are 2 correct answers to this question.

- \* Ensure that ICF service /sap/public/icf\_info/icr\_groups is active
- \* Determine the HTTP port of the ABAP message server
- \* Determine the HTTP port of the PAS instance's ICM Process
- \* Ensure that ICF service/sap/public/ping is active

**NO.52** You want to enable workflow for SAP Fiori in an embedded deployment scenario. Which settings are needed for the corresponding system alias?

- \* Local Gateway = true

For LocalApp = true

- \* Local Gateway = true

For LocalApp = false

- \* Local Gateway = false

For LocalApp = false

- \* Local Gateway = false

For LocalApp = true

**NO.53** How can you register multiple SAP Gateway services simultaneously? There are 2 correct answers to this question.

- \* Using transaction /IWFND MAINT\_SERVICE.
- \* Using task list SAP\_GATEWAY\_BASIC\_CONFIG.
- \* Using transaction IWFND GW\_CLIENT.
- \* Using task list SAP\_GATEWAY\_ACTIVATE\_ODATA\_SERV.

**NO.54** You want to set up SSL encryption for the communication channel from the SAP Fiori Clients via an SAP web Dispatcher to the FES system. What is one of the configuration steps necessary to establish an HTTPS connection between SAP Fiori clients and the SAP Dispatcher?

- \* Sign the FES System's SSL Server Certificate and import it in to the SAP web dispatcher's client PSE.
- \* Sign the sap Web dispatcher's SSL Server certificate and import into the SAP Web Dispatcher's server PSE.
- \* Sign the FES system's SSL client Certificate and import it into the SAP Web dispatcher's client PSE.
- \* Sign the SAP Web dispatcher's SSL Client certificate and import it into the SAP Fiori Client.

**NO.55** You are setting up an SAP Fiori landscape with central hub deployment. How can you ensure that the URL launched by transaction /UI2/FLP includes the host name and the port of the SAP web Dispatcher?

- \* In the FES system, maintain table HTTPURLLOC
- \* For the SAP web dispatcher, set parameter wdisp? system\_<x>
- \* In the FES system, maintain view /IWFND/V\_DFSYAL
- \* For the SAP web dispatcher, maintain the client PSE

**NO.56** What information do you have to provide during the installation of an SAP web dispatcher as it relates to the ABAP-based SAP system? There are 2 correct answers to this question.

- \* The instance number of the primary applications server (PAS) of the SAP system
- \* The system ID (SID) of the SAP system
- \* The HTTP port of the message server of the SAP system
- \* The ICF service in SAP system that is required by SAP web dispatcher

**NO.57** In an ABAP-based development system, you want to implement a transport-based correction instruction (TCI).

Which transaction do you use?

- \* STMS
- \* STC2
- \* SNOTE
- \* SPAM

**NO.58** What can you do within the SAP web dispatcher web administration UI? There are 2 correct answers to this question.

- \* Stop SAP web dispatcher
- \* Analyze statistics
- \* Evaluate trace files
- \* Modify rewrite rules

**NO.59** What data can be distributed with Central User Administration (CUA)? There are 2 correct answers to this question.

- \* Address data of a user
- \* Productive password of a user
- \* Single and composite roles
- \* Authorization profiles

**NO.60** You want to create an SAP Fiori tile to launch an SAP GUI Transaction. Which of the following do you have to enter in the corresponding target mapping? There are 3 correct answers to this question.

- \* Application name
- \* Application type
- \* Application ID
- \* Transaction code

**NO.61** Which automation phases can you use in a task list? There are 3 correct answers to this question.

- \* Schedule
- \* Integrate
- \* Cleanup
- \* Synchronize
- \* Finalize

**NO.62** You want to transport self-defined SAP Fiori catalogs from one client to another client of your FES system, which transaction can you use to select the transport request?

- \* /UI2/FLP
- \* /UI2/FLC
- \* /UI2/FLPD\_CUST
- \* /UI2/FLPD\_CONF

**NO.63** You want to enable apps based on KPI design. How can you register SAP Gateway service

/SSB/SMART\_BUSINESS\_RUNTIME\_SRV? There are 2 correct answers to this question.

- \* Using transaction /IWFND/MAINT\_SERVICE
- \* Using task list SAP\_BA/\_SETUP\_INITIAL\_S4HANA
- \* Using task list SAP\_FIORI\_FOUNDATION\_S4
- \* Using transaction /IWFNDN4\_ADMIN

**NO.64** Which of the following can be the source definition of an OData service in ABAP? There are 2 correct answers to this

question.

- \* Core data services (CDS) View
- \* SAP Gateway project
- \* SAP HANA extended application services OData service
- \* ABAP Managed Database procedure (AMDP)

**NO.65** How can you configure the SAP Fiori launchpad? There are 2 correct answers to this question.

- \* Via app descriptors in transaction MM\_APP
- \* Via FLP settings in transaction /UI2/FLP\_CONF\_DEF
- \* Via target mappings in transaction /UI2/FLPD\_CUST
- \* Via system settings in transaction /UI2/FLP\_CUS\_CONF

**NO.66** Which of the following items need to be maintained in the target mapping to locate an SAPUI5 application?

There are 3 correct answers to this question.

- \* Application type
- \* System alias
- \* Component ID
- \* ICF service URL
- \* Application configuration

**NO.67** What actions can you perform using the SAP\_FIORI\_FOUNDATION\_S4 task list? There are 3 correct answers to this question.

- \* Enable SAP GUI for HTML.
- \* Create users with generated business roles.
- \* Schedule a job for calculation of SAPUI5 application index.
- \* Generate SAP Fiori foundation roles.
- \* Replicate backend catalogs.

**NO.68** You want to set up a trusted RFC relationship between the FES system and the BES system. What are the advantages after setting it up? There are 2 correct answers to this question.

- \* Passwords are transmitted securely in the network.
- \* The timeout mechanism protects against replay attacks.
- \* Single sign-on (SSO) is possible beyond system boundaries.
- \* User-specific logon data must NOT be checked in the trusting system.

**NO.69** You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

- \* SAP\_GW\_FIORI\_ERP\_ONE\_CLNT\_SETUP

SAP FIORI CONTENT ACTIVATION

SAP\_FIORI\_FOUNDATION\_S4

- \* SAP\_FIORI\_FOUNDATION\_S4

SAP GW FIORI ERP ONE CLNT SETUP

SAP\_FIORI\_CONTENT\_ACTIVATION

- \* SAP\_GW\_FIORI\_ERP\_ONE\_CLNT\_SETUP

SAP FIORI FOUNDATION S4

SAP\_FIORI\_CONTENT\_ACTIVATION

- \* SAP\_FIORI\_FOUNDATION\_S4

SAP FIORI CONTENT ACTIVATION

SAP GW FIORI ERP ONE CLNT SETUP

**NO.70** Which tools can be used to create SAP Fiori catalogs? There are 3 correct answers to this question.

- \* Launchpad customizing (LPD\_CUST)
- \* SAP Fiori launchpad settings (/UI2/FLP\_CUS\_CONF)
- \* Mass maintenance for app descriptors (MM\_APP)
- \* SAP Fiori launchpad content manager (/UI2/FLPCM\_CUST)
- \* SAP Fiori launchpad designer (/UI2/FLPD\_CUST)

**NO.71** What are some of the steps to implement a transactional SAP Fiori app in a central hub deployment? There are

2 correct answers to this question.

- \* Activate the relevant ICF service for SAPUI5 in the FES system.
- \* Activate the relevant OData service in the FES system.
- \* Activate the relevant ICF service for SAPUI5 in the BES system.
- \* Activate the relevant OData service in the BES system.

**NO.72** What can do using the ABAP task manager (transaction STC01)? There are 3 correct answers to this question.

- \* Copy an existing task list to a new one.
- \* Execute a task list in background mode.
- \* Delete the log of a task list run
- \* Create a variant of a task list
- \* Assign a task list to a customizing request

**Get to the Top with C-FIOAD-2021 Practice Exam Questions:** <https://www.validexam.com/C-FIOAD-2021-latest-dumps.html>